Bulletin of the National Salmon
Resources Center, No. 4: 31-41
December 2001

さけ・ます資源管理センター
研究報告 第4号 31-41頁
2001年12月

INFORMATION

Bibliography of Salmonids published in Japan (15): 2000

Edited by Shigehiko Urawa

Research Division, National Salmon Resources Center,
2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan
(urawa@salmon.affrc.go.jp)

This current salmonid bibliography, distributed yearly since 1988, covers scientific publications in Japan. The former thirteen issues were published in Technical Reports of Hokkaido Salmon Hatchery (Fish and Eggs), No. 157-163, Scientific Reports of Hokkaido Salmon Hatchery, No. 49-50, and Bulletin of National Salmon Resources Center, No. 1-3. Titles are given in English for all articles. A reprint of article may be available from the author. An author's address is shown in square brackets following the citation. This 15th issue has covered literature published in 2000. The bibliography is divided into the following sections:

Aquaculture ---------- 31
Ecology-General ---------- 32
Distribution and Migrations ---------- 32
Breeding and Reproduction ---------- 33
Feeding, Diets, and Growth ---------- 33
Conservation Biology ---------- 33
Population and Management ---------- 34
Stock Identification ---------- 34
Fisheries ---------- 34
Morphology, Taxonomy, and Phylogeny ---------- 34
Physiology and Endocrinology ---------- 35
Biochemistry ---------- 36
Genetics ---------- 37
Diseases and Parasites ---------- 37
Toxicology ---------- 39
Economy ---------- 39
Author Index ---------- 40

Key words: salmonid fish, bibliography, Japan

Aquaculture

00-001 Effect of the release site and developmental stage on the return of the preadult masu salmon released with the fluorescent otolith tag in the Kaji River. Koike, T., M. Oya, and K. Tsukamoto. 2000. Rep. Niigata Pref. Inland Water Fish. Exp. Stat., 24: 1-9. In Japanese with English summary. [Niigata Prefectural Inland Water Fisheries Experimental Station, 2650 Ookawara-cho, Nagaoka, Niigata 940-1137, Japan]

00-002 Rearing of juvenile masu salmon in a side-channel excavated inside river reservation in the Jinzu River. Tago, Y., R. Tsujimoto, S. Matsushima, S. Azuma, T. Kiriyama, Y. Yasui, and H. Imai. 2000. Suisanzoshoku, 48: 489-495. In Japanese with English summary. [Toyama Prefectural Fisheries Research Institute, 364 Takatsuka, Namerikawa, Toyama 936-8536, Japan]

00-003 The effect of released chum salmon fry into Tone River. Tanaka, S., and K. Suzuki. 2000. Bull. Saitama Pref. Fish. Exp. Stat., 58: 6-12. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060, Kazo, Saitama 347-0011, Japan]

Contribution A No. 26 from the National Salmon Resources Center.

Ecology-General

00-004 Life-history of miyabe charr stocked above a waterfall. Shimoda, K., T. Yoshida, K. Yamashita, and K. Takeuchi. 2000. Sci. Rep. Hokkaido Fish Hatchery, 54: 1-5. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-1433, Japan]

00-005 Microhabitat and physical environment of wintering juvenile masu salmon in northern Hokkaido stream. Suzuki, K. T., M. Nagata, M. Nakajima, and H. Ohmori. 2000. Sci. Rep. Hokkaido Fish Hatchery, 54: 7-14. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-1433, Japan]

00-006 Life cycle of masu salmon (*Oncorhynchus masou*) in Shumarinai Lake, northern Hokkaido, Japan. Tamate, T., and K. Maekawa. 2000. Eurasian J. For. Res., 1: 39-42. [Graduate School of Agriculture, Hokkaido University, Sapporo 060-8589, Japan (tamate@exfor.agr.hokudai.ac.jp)]

00-007 Ecological study on amago trout, *Oncorhynchus masou macrostomus*, in Osaka Bay. Tsujino, K., H. Daido, Y. Sakagami, M. Kamei, K. Naito, and K. Uehara. 2000. Bull. Osaka Pref. Fish. Exp. Stat., 11: 17-26. In Japanese. [Osaka Prefecture Fisheries Experimental Station, Misaki-cho, 599-0311 Osaka, Japan]

Distribution and Migrations

00-008 Micro data logger analyses of homing behavior of chum salmon in Ishikari Bay. Kitahashi, T., H. Ando, A. Urano, M. Ban, S. Saito, H. Tanaka, Y. Naito, and H. Ueda. 2000. Zool. Sci., 17: 1247-1253.

00-009 Swimming speed and migratory timing for the preadult of masu salmon during upstream migration in the Kaji River. Koike, T. 2000. Rep. Niigata Pref. Inland Water Fish. Exp. Stat., 24: 10-18. In Japanese with English summary. [Niigata Prefectural Inland Water Fisheries Experimental Station, 2650 Ookawara-cho, Nagaoka, Niigata 940-1137, Japan]

00-010 Distribution and biological characters of pink (*Oncorhynchus gorbuscha*) and masu salmon (*O. masou*) in the Sea of Japan. Ohkuma, K., Y. Ishida, O. A. Rassadnikov, and V. G. Markovtsev. 2000. Bull. Natl. Salmon Resources Center, 3: 1-10. [Research Division, National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (ohkuma@salmon.affrc.go.jp)]

00-011 Easternmost record for ocean distribution of masu salmon (*Oncorhynchus masou*). Ohkuma, K., S. Urawa, Y. Ueno, and N. D. Davis. 2000. Bull. Natl. Salmon Resources Center, 3: 11-14. [Research Division, National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (ohkuma@salmon.affrc.go.jp)]

00-012 Relationship between homing behavior of chum salmon *Oncorhynchus keta* returning to the Sanriku coast and sea and weather conditions. Otobe, H., Y. Takagi, and A. Anbo. 2000. Nippon Suisan Gakkaishi, 66: 705-712. In Japanese with English summary. [Otsuchi Marine Research Center, Ocean Research Institute, The University of Tokyo, Akahama, Otsuchi, Iwate 028-1102, Japan]

00-013 Over wintering downstream migration to the Okutadami Dam Lake in the juvenile masu salmon released in the Kitanomata River, Niigata Prefecture. Seki, Y., T. Uchida, G. Sato, and M. Hosino. 2000. Rep. Niigata Pref. Inland Water Fish. Exp. Stat., 24: 19-26. In Japanese with English summary. [Niigata Prefectural Inland Water Fisheries Experimental Station, 2650 Ookawara-cho, Nagaoka, Niigata 940-1137, Japan]

00-014 Upstream migration and summer stay of adult masu salmon in the Jinzu and Shou rivers of the Hokuriku region. Tago, Y. 2000. Nippon Suisan Gakkaishi, 66: 44-49. In Japanese with English summary. [Toyama Prefectural Fisheries Research Institute, Takatsuka, Namerikawa, Toyama 936-8536, Japan]

00-015 Diurnal variation in thermal environment experienced by salmonids in the North Pacific as indicated by data storage tags. Walker, R. V., K. W. Myers, N. D. Davis, K. Y. Aydin, K. D. Friedland, H. R. Carlson, G. W. Boehlert, S. Urawa, Y. Ueno,

and G. Anma. 2000. Fish. Oceanogr., 9: 171-186. [University of Washington, School of Fisheries, Fisheries Research Institute, Box 355020, Seattle, WA 98195-5020, USA (rwalker@fish.washington.edu)]

Breeding and Reproduction

00-016 A reproductive population of rainbow trout introduced into the Sanjo River, western Japan. Kato, K., and T. Yanagawa. 2000. Suisanzoshoku, 48: 603-608. In Japanese with English summary. [Tokyo Metropolitan Fisheries Experiment Station, 1-13-17 Kaigan, Minato, Tokyo 105-0022, Japan]

00-017 Diluents for cool storage of milt and for artificial fertilization in the amago salmon *Oncorhynchus masou ishikawae*. Ohta, H., T. Unuma, and H. Nagoya. 2000. Nippon Suisan Gakkaishi, 66: 88-96. In Japanese with English summary. [National Research Institute of Aquaculture, Nansei, Mie 516-0193, Japan]

00-018 Natural reproduction of chum salmon in the Horonai Stream: spatial segregation of redd formation between chum salmon and other salmonids. Saito, T. 2000. Bull. Natl. Salmon Resources Center, 3: 15-24. In Japanese with English summary. [Research Division, National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (brochet@salmon.affrc.go.jp)]

00-019 Redd superimposition by introduced rainbow trout, *Oncorhynchus mykiss*, on native charrs in a Japanese stream. Taniguchi, Y., Y. Miyake, T. Saito, H. Urabe, and S. Nakano. 2000. Ichthyol. Res., 47: 149-156. [Department of Life Environmental Science, Yamaguchi Prefectural University, 3-2-1 Sakurabatake, Yamaguchi, Yamaguchi 753-8502, Japan (ytani@wsl.yamaguchi-pu.ac.jp)]

Feeding, Diets, and Growth

00-020 Sexual differences of growth in four salmonids. Koike, T. 2000. Rep. Niigata Pref. Inland Water Fish. Exp. Stat., 24: 27-31. In Japanese with English summary. [Niigata Prefectural Inland Water Fisheries Experimental Station, 2650 Ookawara-cho, Nagaoka, Niigata 940-1137, Japan]

00-021 Manganese requirement of Atlantic salmon (*Salmo salar*) fry. Maage, A., B. Lygren, and A. F. A. El-Mowafi. 2000. Fish. Sci., 66: 1-8. [Environmental Services A/S, Tyssedalsveien 16, N5750 Odda, Norway (amund.maage@asa-odda.no)]

00-022 Stomach contents of juvenile masu salmon (*Oncorhynchus masou*) in the coastal waters of eastern Hokkaido, Japan. Misaka, N., and S. Mano. 2000. Sci. Rep. Hokkaido Fish Hatchery, 54: 15-22. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-1433, Japan]

00-023 Age composition, sex ratio, growth, and feeding habit of native and introduced hatchery-reared lake-run masu salmon, *Oncorhynchus masou masou* in a Japanese mountain reservoir. Yamaguchi, K., T. Nakamura, and T. Maruyama. 2000. Suisanzoshoku, 48: 615-622. In Japanese with English summary. [Tohoku Research Division, Asia Air Survey Co., Ltd, Tsutsujigaoka, Miyagino, Sendai, Miyagi 983-0852, Japan]

00-024 Voluntary intake of diets with varying digestible energy contents and energy sources, by juvenile rainbow trout *Oncorhynchus mykiss*, using self-feeders. Yamamoto, T., T. Shima, T. Unuma, M. Shiraishi, T. Akiyama, and M. Tabata. 2000. Fish. Sci., 66: 528-534. [Fish Feed Section, Inland Station, National Research Institute of Aquaculture, Tamaki, Mie 519-0423, Japan (takejpn@nria-tmk.affrc.go.jp)]

Conservation Biology

00-025 Aquatic animal colonization of chum salmon (*Oncorhynchus keta*) carcasses in Hokkaido, northern Japan. Nakajima, M., and T. Ito. 2000. Sci. Rep. Hokkaido Fish Hatchery, 54: 23-31. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-1433, Japan]

00-026 Improvement of the head construction for a nature-oriented fishway and a release experiment using yamame *Oncorhynchus masou* in the Oshino River, Gunma Prefecture. Tago, O., I. Odazawa, and F. Hayashi. 2000. Ecol. Civil. Eng., 3: 131-136. [Gunma Prefectural Government, Department of

Public Works and Construction, Sewage Works Division, 1-1-1 Otemachi, Maebashi 371-8570, Japan (tago-o@pref.gunma.jp)]

Population and Management

00-027 Studies on the efficient use of mountain stream area for fishing - II. Saito, K., H. Matsuda, and T. Hara. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 43-47. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-028 Japanese salmon research in the ocean: a review and future issues. Urawa, S., Y. Ishida, and M. Fukuwaka. 2000. Bull. Natl. Salmon Resources Center, 3: 29-38. [Research Division, National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (urawa@salmon.affrc.go.jp)]

Stock Identification

00-029 Marking of otolith by alizarin complexon in salmon fry, *Oncorhynchus keta*. Itamoto, K. 2000. Bull. Yamagata Pref. Inland Water Fish. Exp. Stat., 1: 15-16. In Japanese. [Yamagata Prefecture Inland Water Fisheries Experimental Station, Izumi 1-4-12, Yonezawa, Yamagata 992-0063, Japan]

Fisheries

00-030 Analysis of the escape behavior of juvenile salmon *Oncorhynchus keta* from the bag-net for bycatch prevention in a set-net fishery. Fujimori, Y., K. Abe, S. Shimizu, and T. Miura. 2000. Fish. Sci., 66: 424-431. [Faculty of Fisheries, Hokkaido University, Minato, Hakodate, Hokkaido 041-8611, Japan (fujimori@fish.hokudai.ac.jp)]

00-031 Merits of final trap on the basis of behavior of chum salmon for the small scale set-net. Goto, T., and S. Akiyama. 2000. Bull. Iwate Pref. Fish. Tech. Center, 2: 15-19. In Japanese with English summary. [Iwate Prefectural Fisheries Technology Center, Heita, Kamaishi, Iwate 026-0001, Japan]

00-032 Size selectivity curves of sode hooks for masu salmon derived from the stochastic model of hooking mechanism. Shimizu, S., Y. Fujimori, T. Miura, and K. Nashimoto. 2000. Bull. Fac. Fish. Hokkaido Univ., 51: 13-23. [Department of Marine Production System Science, Faculty of Fisheries, Hokkaido University, 3-1-1 Minato, Hakodate, Hokkaido 041-0821, Japan]

00-033 Fish species composition of set-net in Miyagi Prefecture. Takahashi, K., K. Ueda, and M. Shibakuki. 2000. Bull. Miyagi Pref. Fish. Res. Dev. Center, 16: 31-38. In Japanese. [Miyagi Prefecture Fisheries Research and Development Center, 97-6 Sodenohama, Watanoha, Ishinomaki, Miyagi 986-2135, Japan]

Morphology, Taxonomy, and Phylogeny

00-034 Relationships between the spot patterns on the head of the Japanese char *Salvelinus leucomaenis*, distributed in the Chugoku region, and water quality. Kawai, K., A. Masuhara, and H. Imabayashi. 2000. Fish. Sci., 66: 901-907. [Faculty of Applied Biological Science, Hiroshima University, Higashi-hiroshima, Hiroshima 739-8528, Japan (kawagogi@ipc.hiroshima-u.ac.jp)]

00-035 Measurement of body color on smoltification in amago salmon *Oncorhynchus masou ishikawae* by colorimeter - II. Kuwada, T., T. Ichiyanagi, N. Tuzuku, M. Okazaki, and H. Usuda. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 33-37. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-036 Measurement of body color on smoltification in amago salmon *Oncorhynchus masou ishikawae* by colorimeter. Kuwada, T., H. Matsuda, and N. Tuzuku. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 23-31. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-037 Distribution and ultrastructure of intraepithelial leukocytes in the intestinal mucosa of six species of fishes. Nagura, T., S. Ono, H. Aikawa, and A. Nagai. 2000. J. School Marine Sci. Tech. Tokai Univ., 50: 73-82. [Tokai University, 3-20-1 Orido, Shimizu, Shizuoka 424-0902, Japan]

00-038 Validation of auto-counting method by NIH

image using otoliths of white-spotted char *Salvelinus leucomaenis*. Takashima, Y., T. Takada, T. Matsuishi, and Y. Kanno. 2000. Fish. Sci., 66: 515-520. [Laboratory of Marine Ecology, Faculty of Fisheries, Hokkaido University, Hakodate, Hokkaido 041-8611, Japan (cab@fish.hokudai.ac.jp)]

00-039 Variation of spots in Japanese char *Salvelinus leucomaenis* in the rivers of Nagano Prefecture, Japan. Yamamoto, S., M. Kohara, Y. Sawamoto, and M. Tsukisaka. 2000. Bull. Nagano Pref. Fish. Exp. Stat., 4: 16-23. In Japanese. [Nagano Prefectural Fisheries Experimental Station, 2871 Ooaza Nakakawate, Akishina-cho, Higashichikuma-gun, Nagano 399-7102, Japan]

00-040 Lacustrine forms of mature male masu salmon, *Oncorhynchus masou* Brevoort, in Lake Toya, Hokkaido, Japan. Yamamoto, T., K. Endo, and H. Ueda. 2000. Ichthyol. Res., 47: 407-410. [Laboratory of Conservation Biology, University Forests, Hokkaido University, N9 W9, Sapporo 060-0809, Japan (toshy@exfor.agr.hokudai.ac.jp)]

Physiology and Endocrinology

00-041 Effects of photoperiod and water temperature on smoltification of yearling sockeye salmon (*Oncorhynchus nerka*). Ban, M. 2000. Bull. Natl. Salmon Resources Center, 3: 25-28. [Research Division, National Salmon Resources Center, Fisheries Agency of Japan, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (dukeban@salmon.affrc.go.jp)]

00-042 Influence of various growth rates on development of gill Na , K^+-ATPase in juvenile chum salmon, *Oncorhynchus keta*. Ban, M. 2000. Suisanzoshoku, 48: 503-508. [Research Division, National Salmon Resources Center, 2-2 Nakanoshima, Toyohira-ku, Sapporo 062-0922, Japan (dukeban@salmon.affrc.go.jp)]

00-043 Changes of serum growth hormone and vitellogenin levels during vitellogenesis in female masu salmon *Oncorhynchus masou*. Fukada, H., N. Hiramatsu, M. Kitamura, M. Shimizu, and A. Hara. 2000. Fish. Sci., 66: 789-791. [Akihiko Hara: Department of Biology, Faculty of Fisheries, Hokkaido University, Hakodate, Hokkaido 041-8611, Japan (hal@pop.fish.hokudai.ac.jp)]

00-044 Cytological inspection on the optimum timing for retention of the second polar body in early gynogenetic eggs of amago salmon. Kobayashi, T., and K. Ueno. 2000. Nippon Suisan Gakkaishi, 66: 840-845. In Japanese with English summary. [Faculty of Agriculture, Kinki Univ., Nakamachi, Nara 631-8505, Japan]

00-045 Active metabolic rate of masu salmon determined by respirometry. Leonard, J. B. K., D. R. Leonard, and H. Ueda. 2000. Fish. Sci., 66: 481-484. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Abuta, Hokkaido 049-5723, Japan (jbkleonard@hotmail.com)]

00-046 Ultrastructural changes in gill chloride cells during smoltification in wild and hatchery-reared masu salmon *Oncorhynchus masou*. Mizuno, S., K. Ura, T. Okubo, Y. Chida, N. Misaka, S. Adachi, and K. Yamauchi. 2000. Fish. Sci., 66: 670-677. [Department of Biological Sciences, Faculty of Fisheries, Hokkaido University, Hakodate, Hokkaido 041-8611, Japan (mizunos@fishexp.pref.hokkaido.jp)]

00-047 Inhibitory effects of testosterone on downstream migratory behavior in masu salmon, *Oncorhynchus masou*. Munakata, A., M. Amano, K. Ikuta, S. Kitamura, and K. Aida. 2000. Zool. Sci., 17: 863-870. [Department of Aquatic Bioscience, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Bunkyo-ku, Tokyo 113-8657, Japan]

00-048 Ontogenetic development of the caudal neurosecretory system in the chum salmon, *Oncorhynchus keta*, with regard to its ultrastructural changes and with relation to neuropeptide Y-immunoreactive fibers. Oka, S., A. Chiba, and Y. Honma. 2000. Zool. Sci., 17: 103-109. [Department of Biology, Nippon Dental University School of Dentistry at Niigata, Niigata 951-8580, Japan (okashun@ngt.ndu.ac.jp)]

00-049 Immunocytochemical analysis of pituitary cells in pre-spawning chum salmon. Salam, Md. A., H. Ando, M. Ban, H. Ueda, and A. Urano. 2000. Zool. Sci., 17: 805-819. [Division of Biological Sci-

ences, Graduate School of Science, Hokkaido University, Sapporo 060-0810, Japan]

00-050 Olfactory discriminating ability of lacustrine sockeye and masu salmon in various freshwaters. Sato, K., T. Shoji, and H. Ueda. 2000. Zool. Sci., 17: 313-317. [Toya Lake Station for Environmental Biology, Faculty of Fisheries, Hokkaido University, Abuta, Hokkaido 049-5723, Japan]

00-051 Time-course response of plasma testosterone and estradiol-17 β to salmon gonadotropin treatment in the Japanese eel during ovarian development. Sato, N., I. Kawazoe, Y. Suzuki, and K. Aida. 2000. Fish. Sci., 66: 792-794. [Department of Aquatic Bioscience, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Bunkyo, Tokyo 113-8657, Japan (narumi@marine.fs.a.u-tokyo.ac.jp)]

00-052 Seasonal changes in thyroidal response to thyroid-stimulating hormone in rainbow trout *Oncorhynchus mykiss*. Satoh, R., H. Yamada, H. Chiba, A. Kambegawa, and M. Iwata. 2000. Fish. Sci., 66: 174-176. [Laboratory of Ecophysiology, School of Fisheries Sciences, Kitasato University, Sanriku, Iwate 022-0101, Japan (riichi@d5.dion.ne.jp)]

00-053 Changes in body weight, fork length, body composition, and hepatic enzyme activities in masu salmon *Oncorhynchus masou* during long-term starvation. Shikata, T., K. Takakado, J. Shinobori, and S. Shibata. 2000. Bull. Ishikawa Pref. Fish. Res. Center, 2: 13-18. In Japanese with English summary. [Ishikawa Prefecture Fisheries Research Center, Ushitsu-shinko, Noto, Fugeshi, Ishikawa 927-0435, Japan]

00-054 Divergence of jack and gonad somatic index in 1+ aged masu salmon smolts. Shimoda, K. 2000. Sci. Rep. Hokkaido Fish Hatchery, 54: 33-35. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi 3-373, Eniwa, Hokkaido 061-1433, Japan]

00-055 Two salmon gonadotropin-releasing hormone genes and their differential expressions in the goldfish *Carassius auratus*. Suetake, H., Y. Yoshiura, K. Kikuchi, K. Gen, M. Ashihara, M. Kobayashi, and K. Aida. 2000. Fish. Sci., 66: 49-57. [Department of Aquatic Bioscience, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Bunkyo, Tokyo 113-8657, Japan (suetake@marine.fs.a.u-tokyo.ac.jp)]

00-056 Ultrastructural immunolocalization of the otolith water-soluble-matrix in the inner ear of rainbow trout just-hatched fry. Takagi, Y. 2000. Fish. Sci., 66: 71-77. [Otsuchi Marine Research Center, Ocean Research Institute, The University of Tokyo, Otsuchi, Iwate 028-1102, Japan (takagi@wakame.ori.u-tokyo.ac.jp)]

00-057 Dose-depending effect of exposure to acidic water on plasma sodium levels in rainbow trout. Yada, T., T. Azuma, S. Kitamura, and K. Ikuta. 2000. Bull. Natl. Res. Inst. Aquacult., 29: 217-224. In Japanese with English summary. [Nikko Branch, National Research Institute of Aquaculture, Nikko, Tochigi 321-1661, Japan]

Biochemistry

00-058 Distribution of cathepsins in red and white muscles among fish species. Aoki, T., T. Yamashita, and R. Ueno. 2000. Fish. Sci., 66: 776-782. [Ryuji Ueno: Faculty of Bioresources, Mie University, Tsu, Mie 514-8507, Japan (ueno@bio.mie-u.ac.jp)]

00-059 Carbohydrates of the otolith organ in the rainbow trout *Oncorhynchus mykiss* detected by lectins. Takagi, Y., K. Ishida, and Y. Mugiya. 2000. Fish. Sci., 66: 933-939. [Otsuchi Marine Research Center, Ocean Research Institute, The University of Tokyo, Iwate 028-1102, Japan (takagi@wakame.ori.u-tokyo.ac.jp)]

00-060 The influence of dietary protein sources on tissue free amino acid levels of fingerling rainbow trout. Yamamoto, T., T. Unuma, and T. Akiyama. 2000. Fish. Sci., 66: 310-320. [Fish Feed Section, Inland Station, National Research Institute of Aquaculture, Tamaki, Mie 519-0423, Japan (takejpn@nria-tmk.affrc.go.jp)]

00-061 Screening of inhibitory activities for elastase and collagenase in the edible parts of fish and shellfish. Yamauchi, R., D. Mukouyama, and K. Yamaguchi. 2000. Fish. Sci., 66: 798-800. [Katsumi Yamaguchi: Department of Biotechnology and Life

Sciences, Tokyo University of Agriculture and Technology, Koganei, Tokyo 184-8588, Japan (ktyama@jeans.ocn.ne.jp)]

Genetics

00-062 Studies on the breeding of amago salmon, *Oncorhynchus masou ishikawae* - VI. Effect of precocious matured male on phase differentiation of amago salmon. Ichiyanagi, T., H. Matsuda, and T. Kuwada. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 7-12. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-063 Identification of hybridized populations between salmonid species using PINE method. Kanda, N. 2000. Fish Gen. Breed. Sci., 29: 25-36. In Japanese with English summary. [The Institute of Cetacean Research Tokyo Suisan Bldg., 4-18 Toyomicho, Chuo-ku, Tokyo 104-0055, Japan]

00-064 Salinity tolerance and high water temperature resistance in hybrids between Japanese char *Salvelinus leucomaenis* and masu salmon *Oncorhynchus masou*. Nagakura, K., A. Suto, T. Tsukada, and A. Kijima. 2000. Fish Gen. Breed. Sci., 29: 81-91. In Japanese with English summary. [Miyagi Prefectural Sea-Farming Center, Maeda, Yagawahama, Oshika-cho, Miyagi 986-2402, Japan]

00-065 Transition/transversion rate ratio for synonymous base substitutions at the third positions of conserved codons on Pacific salmonid mitochondrial DNAs. Oohara, I. 2000. Bull. Natl. Res. Inst. Aquacult., 29: 105-122. [National Research Institute of Aquaculture, Nakatsu, Nansei, Watarai, Mie 516-0193, Japan]

00-066 Characterization of cDNA clone encoding the matrix metalloproteinase 2 from rainbow trout fibroblast. Saito, M., N. Kunisaki, N. Urano, and S. Kimura. 2000. Fish. Sci., 66: 334-342. [Kagawa Nutrition College, Komagome, Toshima, Tokyo 170-8481, Japan (msaito@kom.eiyo.ac.jp)]

00-067 Hybrids by pair mating between *Salvelinus leucomaenis* and *Oncorhynchus* masou. Suto, A., K. Nagakura, and A. Kijima. 2000. Fish Gen. Breed. Sci., 29: 69-80. In Japanese with English summary. [Miyagi Prefectural Freshwater Fisheries Experiment Station, Yoshida, Taiwa-cho, Miyagi 981-3625, Japan]

00-068 Genetic variability of masu salmon in Hokkaido, by restriction fragment length polymorphism analysis of mitochondrial DNA. Suzuki, K., T. Kobayashi, T. Matsuishi, and K. Numachi. 2000. Nippon Suisan Gakkaishi, 66: 639-646. In Japanese with English summary. [Hokkaido Fish Hatchery, Kitakashiwagi, Eniwa, Hokkaido 061-1433, Japan]

00-069 A trial to get rid of recessive albino characteristics from normal color rainbow trout *Oncorhynchus mykiss*. Suzuki, S., Y. Ootomo, and K. Suzuki. 2000. Bull. Saitama Pref. Fish. Exp. Stat., 58: 23-26. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060, Kazo, Saitama 347-0011, Japan]

00-070 Studies on two types of all female allotriploid (rainbow trout, *Oncorhynchus mykiss* × amago salmon, *Oncorhynchus masou ishikawae*). Tuzuku, N., T. Kuwada, M. Okazaki, T. Ichiyanagi, and H. Usuda. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 13-21. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-071 Allozyme variability of *Oncorhynchus nerka* in Japan. Winans, G. A., and S. Urawa. 2000. Ichthyol. Res., 47: 343-352. [National Marine Fisheries Service, Northwest Fisheries Science Center, Conservation Biology Division, 2725 Montlake Boulevard East, Seattle, WA 98112-2097, USA]

00-072 Ploidies of gametes produced by putative tetraploid amago salmon induced by inhibition of the first cleavage. Yamaki, M., and K. Arai. 2000. Bull. Fac. Fish. Hokkaido Univ., 51: 135-152. In Japanese with English summary. [K. Arai: Division of Marine Science, Graduate School of Fisheries Science, Hokkaido University, 3-1-1 Minato-cho, Hakodate, Hokkaido 041-8611, Japan]

Diseases and Parasites

00-073 Natural and experimental infections of *Campylobacter cryaerophila* in rainbow trout: gross pathology, bacteriology, clinical pathology and

chemotherapy. Aydin, S., N. Gultepe, and H. Yildiz. 2000. Fish Pathol., 35: 117-123. [Fisheries Faculty, Canakkale Onsekiz Mart University, Karacaoren, Canakkale, Turkey]

00-074 Effects of dietary β-carotene on the immune response of rainbow trout *Oncorhynchus mykiss*. Camar, E., V. Kiron, S. Satoh, N. Okamoto, and T. Watanabe. 2000. Fish. Sci., 66: 1068-1075. [Department of Aquatic Biosciences, Tokyo University of Fisheries, Minato, Tokyo 108-8477, Japan (vizi@tokyo-u-fish.ac.jp)]

00-075 Possibility of anisakid larvae infection in farmed salmon. Inoue, K., S. Oshima, T. Hirata, and I. Kimura. 2000. Fish. Sci., 66: 1049-1052. [Central Research Laboratory, Nippon Suisan Kaisha Ltd., Hachioji, Tokyo 192-0906, Japan (inouek@ori.u-tokyo.ac.jp)]

00-076 Sequencing of *gyr*B and their application in the identification of *Flavobacterium psychrophilum* by PCR. Izumi, S., and H. Wakabayashi. 2000. Fish Pathol., 35: 93-94. [Graduate School of Agricultural and Life Sciences, The University of Tokyo, Yayoi 1-1-1, Bunkyo, Tokyo 113-8657, Japan (ninja@vp.vm.a.u-tokyo.ac.jp)]

00-077 Disinfectant effects of electrolyzed salt water on fish pathogenic bacteria and viruses. Kasai, H., A. Ishikawa, Y. Hori, K. Watanabe, and M. Yoshimizu. 2000. Nippon Suisan Gakkaishi, 66: 1020-1025. In Japanese with English summary. [Mamoru Yoshimizu: Graduate School of Fisheries Science, Hokkaido University, Minato, Hakodate, Hokkaido 041-8611, Japan (yosimizu@fish.hokudai.ac.jp)]

00-078 The uptake of fluorescent microspheres into the skin, fins and gills of rainbow trout during immersion. Kiryu, I., M. Ototake, T. Nakanishi, and H. Wakabayashi. 2000. Fish Pathol., 35: 41-48. [National Research Institute of Aquaculture, 224-1 Hiruta, Tamaki, Mie 519-0423, Japan (ikunari@nria-tmk.affrc.go.jp)]

00-079 Transfer of fluorescent microspheres from the integumental tissues to the kidney and spleen in rainbow trout. Kiryu, I., M. Ototake, T. Nakanishi, and H. Wakabayashi. 2000. Fish Pathol., 35: 165-166. [National Research Institute of Aquaculture, 224-1 Hiruta, Tamaki, Mie 519-0423, Japan (ikunari@nria-tmk.affrc.go.jp)]

00-080 Studies on factors for the blue-sac disease occurrence and their affecting period in the Japanese charr. Koike, T., and H. Hosoya. 2000. Rep. Niigata Pref. Inland Water Fish. Exp. Stat., 24: 36-42. In Japanese with English summary. [Niigata Prefectural Inland Water Fisheries Experimental Station, 2650 Ookawara-cho, Nagaoka, Niigata 940-1137, Japan]

00-081 Waterborne transmission of *Flavobacterium psychrophilum* in coho salmon eggs. Kumagai, A., S. Yamaoka, K. Takahashi, H. Fukuda, and H. Wakabayashi. 2000. Fish Pathol., 35: 25-28. [National Research Institute of Aquaculture, Fisheries Agency, Nansei, Mie 516-0193, Japan (akumagai@nria.affrc.go.jp)]

00-082 Characterization of monoclonal antibodies against antigens shared with neutrophils and macrophages in rainbow trout *Oncorhynchus mykiss*. Kuroda, A., N. Okamoto, and H. Fukuda. 2000. Fish Pathol., 35: 205-213. [Hideo Fukuda: Department of Aquatic Biosciences, Tokyo University of Fisheries, Konan 4, Minato, Tokyo 108-8477, Japan (hfukuda@s4201.tokyo-u-fish.ac.jp)]

00-083 *In situ* hybridization for detection of the microsporidian parasite *Glugea plecoglossi* by using rainbow trout as an experimental infection model. Lee, S. -J., H. Yokoyama, K. Ogawa, and H. Wakabayashi. 2000. Fish Pathol., 35: 79-84. [Department of Aquatic Bioscience, Graduate School of Agricultural and Life Sciences, The University of Tokyo, Yayoi 1-1-1, Bunkyo, Tokyo 113-8657, Japan (aa07086@mail.ecc.u-tokyo.ac.jp]

00-084 Effectiveness of β-haemolytic streptococcal bacterin by injection against yamame salmon (*Oncorhynchus masou masou*). Nakai, Y., and I. Komatu. 2000. Rep. Gifu Pref. Fish. Res. Inst., 45: 39-42. In Japanese. [Gifu Prefectural Fisheries Experimental Station, 2605 Hane, Hagiwara-cho, Masuda, Gifu 509-2506, Japan]

00-085 Investigation on drug sensitivity of fish pathogenic bacteria isolated from salmonids in pri-

vate trout farms in Saitama Prefecture (1995-1998). Suzuki, K., S. Suzuki, and Y. Ootomo. 2000. Bull. Saitama Pref. Fish. Exp. Stat., 58: 33-44. In Japanese. [Saitama Prefectural Fisheries Experiment Station, Kitakohama 1060, Kazo, Saitama 347-0011, Japan]

00-086 Microbiological hazard analysis in ikura processing plant in Hokkaido. Takeshi, K., H. Tezuka, N. Nakamura, E. Kumazawa, M. Yonekawa, M. Kitagawa, K. Nishi, and S. Makino. 2000. Rep. Hokkaido Inst. Public Health, 50: 17-26. In Japanese. [Hokkaido Institute of Public Health, West 12, North 19, North Ward, Sapporo 060-0819, Japan]

00-087 An investigation into the larval energetics and settlement of the sea louse, *Lepeophtheirus salmonis*, an ectoparasitic copepod of Atlantic salmon, *Salmo salar*. Tucker, C. S., C. Sommerville, and R. Wootten. 2000. Fish Pathol., 35: 137-143. [National Research Institute of Fisheries Science, 2-12-4 Fukuura, Kanazawa-ku, Yokohama, Kanagawa 236-8648, Japan]

Toxicology

00-088 Toxicity of agricultural chemicals to fish-XXIII. Kuge, T., H. Arai, Y. Kakita, A. Nakano, and K. Yoshizawa. 2000. Rep. Gunma Fish. Exp. Stat., 6: 1-2. In Japanese. [Gunma Fisheries Experiment Station, 13 Shikishima-cho, Maebashi, Gunma 371-0036, Japan]

Economy

00-089 Demand for marine products in Japan. Tada, M. 2000. Bull. Natl. Res. Inst. Fish. Sci., 15: 1-10. [National Research Institute of Fisheries Science, Fukuura, Kanazawa, Yokohama 236-8648, Japan]

Author Index

Abe, K. 00-030.
Adachi, S. 00-046.
Aida, K. 00-047, 00-051, 00-055.
Aikawa, H. 00-037.
Akiyama, S. 00-031.
Akiyama, T. 00-024, 00-060.
Amano, M. 00-047.
Anbo, A. 00-012.
Ando, H. 00-008, 00-049.
Anma, G. 00-015.
Aoki, T. 00-058.
Arai, H. 00-088.
Arai, K. 00-072.
Ashihara, M. 00-055.
Aydin, K. Y. 00-015.
Aydin, S. 00-073.
Azuma, S. 00-002.
Azuma, T. 00-057.
Ban, M. 00-008, 00-041, 00-042, 00-049.
Boehlert, G. W. 00-015.
Camar, E. 00-074.
Carlson, H. R. 00-015.
Chiba, A. 00-048.
Chiba, H. 00-052.
Chida, Y. 00-046.
Daido, H. 00-007.
Davis, N. D. 00-011, 00-015.
El-Mowafi, A. F. A. 00-021.
Endo, K. 00-040.
Friedland, K. D. 00-015.
Fujimori, Y. 00-030, 00-032.
Fukuda, Ha. 00-043.
Fukuda, Hi. 00-081, 00-082.
Fukuwaka, M. 00-028.
Gen, K. 00-055.
Goto, T. 00-031.
Gultepe, N. 00-073.
Hara, A. 00-043.
Hara, T. 00-027.
Hayashi, F. 00-026.
Hiramatsu, N. 00-043.
Hirata, T. 00-075.
Honma, Y. 00-048.
Hori, Y. 00-077.
Hosino, M. 00-013.
Hosoya, H. 00-080.
Ichiyanagi, T. 00-035, 00-062, 00-070.
Ikuta, K. 00-047, 00-057.
Imabayashi, H. 00-034.
Imai, H. 00-002.
Inoue, K. 00-075.
Ishida, K. 00-059.
Ishida, Y. 00-010, 00-028.
Ishikawa, A. 00-077.
Itamoto, K. 00-029.
Ito, T. 00-025.
Iwata, M. 00-052.
Izumi, S. 00-076.
Kakita, Y. 00-088.
Kambegawa, A. 00-052.
Kamei, M. 00-007.
Kanda, N. 00-063.
Kanno, Y. 00-038.
Kasai, H. 00-077.
Kato, K. 00-016.
Kawai, K. 00-034.
Kawazoe, I. 00-051.
Kijima, A. 00-064, 00-067.
Kikuchi, K. 00-055.
Kimura, I. 00-075.
Kimura, S. 00-066.
Kiriyama, T. 00-002.
Kiron, V. 00-074.
Kiryu, I. 00-078, 00-079.
Kitagawa, M. 00-086.
Kitahashi, T. 00-008.
Kitamura, M. 00-043.
Kitamura, S. 00-047, 00-057.
Kobayashi, M. 00-055.
Kobayashi, Ta. 00-068.
Kobayashi, To. 00-044.
Kohara, M. 00-039.
Koike, T. 00-001, 00-009, 00-020, 00-080.
Komatu, I. 00-084.
Kuge, T. 00-088.
Kumagai, A. 00-081.
Kumazawa, E. 00-086.
Kunisaki, N. 00-066.
Kuroda, A. 00-082.
Kuwada, T. 00-035, 00-036, 00-062, 00-070.
Lee, S. -J. 00-083.
Leonard, D. R. 00-045.
Leonard, J. B. K. 00-045.
Lygren, B. 00-021.
Maage, A. 00-021.
Maekawa, K. 00-006.
Makino, S. 00-086.
Mano, S. 00-022.
Markovtsev, V. G. 00-010.
Maruyama, T. 00-023.
Masuhara, A. 00-034.
Matsuda, H. 00-027, 00-036, 00-062.
Matsuishi, T. 00-038, 00-068.
Matsushima, S. 00-002.
Misaka, N. 00-022, 00-046.
Miura, T. 00-030, 00-032.
Miyake, Y. 00-019.
Mizuno, S. 00-046.
Mugiya, Y. 00-059.
Mukouyama, D. 00-061.
Munakata, A. 00-047.
Myers, K. W. 00-015.
Nagai, A. 00-037.
Nagakura, K. 00-064, 00-067.
Nagata, M. 00-005.
Nagoya, H. 00-017.
Nagura, T. 00-037.
Naito, K. 00-007.
Naito, Y. 00-008.
Nakai, Y. 00-084.
Nakajima, M. 00-005, 00-025.
Nakamura, N. 00-086.
Nakamura, T. 00-023.
Nakanishi, T. 00-078, 00-079.
Nakano, A. 00-088.
Nakano, S. 00-019.
Nashimoto, K. 00-032.
Nishi, K. 00-086.
Numachi, K. 00-068.
Odazawa, I. 00-026.
Ogawa, K. 00-083.
Ohkuma, K. 00-010, 00-011.
Ohmori, H. 00-005.
Ohta, H. 00-017.
Oka, S. 00-048.
Okamoto, N. 00-074, 00-082.

Okazaki, M. 00-035, 00-070.
Okubo, T. 00-046.
Ono, S. 00-037.
Oohara, I. 00-065.
Ootomo, Y. 00-069, 00-085.
Oshima, S. 00-075.
Otobe, H. 00-012.
Ototake, M. 00-078, 00-079.
Oya, M. 00-001.
Rassadnikov, O. A. 00-010.
Saito, K. 00-027.
Saito, M. 00-066.
Saito, S. 00-008.
Saito, T. 00-018, 00-019.
Sakagami, Y. 00-007.
Salam, Md. A. 00-049.
Sato, G. 00-013.
Sato, K. 00-050.
Sato, N. 00-051.
Satoh, R. 00-052.
Satoh, S. 00-074.
Sawamoto, Y. 00-039.
Seki, Y. 00-013.
Shibakuki, M. 00-033.
Shibata, S. 00-053.
Shikata, T. 00-053.
Shima, T. 00-024.
Shimizu, M. 00-043.
Shimizu, S. 00-030, 00-032.
Shimoda, K. 00-004, 00-054.
Shinobori, J. 00-053.
Shiraishi, M. 00-024.
Shoji, T. 00-050.
Sommerville, C. 00-087.
Suetake, H. 00-055.
Suto, A. 00-064, 00-067.
Suzuki, K. 00-003, 00-069, 00-085.
Suzuki, K. T. 00-005, 00-068.
Suzuki, S. 00-069, 00-085.
Suzuki, Y. 00-051.
Tabata, M. 00-024.
Tada, M. 00-089.
Tago, O. 00-026.
Tago, Y. 00-002, 00-014.
Takada, T. 00-038.
Takagi, Y. 00-012, 00-056, 00-059.
Takahashi, K. 00-033, 00-081.
Takakado, K. 00-053.
Takashima, Y. 00-038.
Takeshi, K. 00-086.
Takeuchi, K. 00-004.
Tamate, T. 00-006.
Tanaka, H. 00-008.
Tanaka, S. 00-003.
Taniguchi, Y. 00-019.
Tezuka, H. 00-086.
Tsujimoto, R. 00-002.
Tsujino, K. 00-007.
Tsukada, T. 00-064.
Tsukamoto, K. 00-001.
Tsukisaka, M. 00-039.
Tucker, C. S. 00-087.
Tuzuku, N. 00-035, 00-036, 00-070.
Uchida, T. 00-013.
Ueda, H. 00-008, 00-040, 00-045, 00-049, 00-050.
Ueda, K. 00-033.
Uehara, K. 00-007.
Ueno, K. 00-044.
Ueno, R. 00-058.
Ueno, Y. 00-011, 00-015.
Unuma, T. 00-017, 00-024, 00-060.
Ura, K. 00-046.
Urabe, H. 00-019.
Urano, A. 00-008, 00-049.
Urano, N. 00-066.
Urawa, S. 00-011, 00-015, 00-028, 00-071.
Usuda, H. 00-035, 00-070.
Wakabayashi, H. 00-076, 00-078, 00-079, 00-081, 00-083.
Walker, R. V. 00-015.
Watanabe, K. 00-077.
Watanabe, T. 00-074.
Winans, G. A. 00-071.
Wootten, R. 00-087.
Yada, T. 00-057.
Yamada, H. 00-052.
Yamaguchi, Kat. 00-061.
Yamaguchi, Kaz. 00-023.
Yamaki, M. 00-072.
Yamamoto, S. 00-039.
Yamamoto, Ta. 00-024, 00-060.
Yamamoto, To. 00-040.
Yamaoka, S. 00-081.
Yamashita, K. 00-004.
Yamashita, T. 00-058.
Yamauchi, K. 00-046.
Yamauchi, R. 00-061.
Yanagawa, T. 00-016.
Yasui, Y. 00-002.
Yildiz, H. 00-073.
Yokoyama, H. 00-083.
Yonekawa, M. 00-086.
Yoshida, T. 00-004.
Yoshimizu, M. 00-077.
Yoshiura, Y. 00-055.
Yoshizawa, K. 00-088.