

水産総合研究センターにおける2001年度論文等の発表リスト

- Abe K., 2001: Cd in the western equatorial Pacific. *Mar. Chem.*, **74**, 197-211.
- Abe K., 2001: Regeneration of Cd, P, and N on the continental shelf of the East China Sea in summer. *Bull. Fish. Res. Agen.*, **3**, 27-29.
- Adachi M., Matsubara T., Okamoto R., Nishijima T., Itakura S., and Yamaguchi M., 2001: Inhibition of cyst formation in the toxic dinoflagellate *Alexandrium* (Dinophyceae) by bacteria from Hiroshima Bay, Japan. *Aquat. Microbial Ecol.*, **26**, 223-233.
- 阿保勝之, 杜多 哲, 2001: アコヤガイの生理と餌料環境に基づく養殖密度評価モデル. 水産海洋研究, **65**, 135-144.
- 阿保勝之, 2001: 三重県五ヶ所湾の魚類養殖場に発生する貧酸素水塊. 農業気象学会東海支部報, **59**, 53-58.
- 赤松友成, 2001: イルカの聴覚. 海洋音響学会誌, **28(2)**, 91-94.
- Akamatsu T., Wang D., Wang K., and Wei Z., 2001: Comparison between visual and passive acoustic detection of finless porpoises in the Yangtze River, China. *J. Acoustical Soc. America*, **109**, 1723-1727.
- 赤嶺達郎, 2002: 枠どり法とPetersen法の区間推定における伝統的統計学とベイズ統計学との比較. 水研センター研報, **2**, 25-34.
- 安藤 忠, 長澤寛道, 2002: Development of a time-resolved fluoroimmunoassay for insulins and its application to monitoring of insulin secretion by feeding in the barfin flounder, *Verasper moseri*. *Gen. Comp. Endocrinol.*, **125**, 365-374.
- Aoyagi K., Dijkstra J.M., Xia C., Denda I., Ototake M., Hashimoto K., and Nakanishi T., 2002: Classical MHC class I gene composed of highly divergent sequence lineages share a single locus in rainbow trout (*Oncorhynchus mykiss*). *J. Immunol.*, **168**, 260-273.
- Araki K., Okamoto H., Graveson A., and Nagoya H., 2001: Analysis of haploid development based on expression patterns of developmental genes in medaka *Oryzias latipes*. *Develop. Growth Different.*, **43**, 591-599.
- Azuma T., 2001: Can water flow induce an excellent growth of fish; Effects of water flow on growth of juvenile masu salmon *Oncorhynchus masou*. *World Aquaculture*, **32**, 26-29.
- Chow S. and Sandifer P. A., 2001: Sperm-egg interaction in the palaemonid shrimp *Palaemonetes vulgaris*. *Fish.Sci.*, **67(2)**, 370-372.
- Dijkstra J. M., Okamoto H., Ototake M., and Nakanishi T., 2001: Luciferase expression 2 years after DNA injection in glass catfish (*Kryptopterus bicirrhus*). *Fish Shellfish Immunol.*, **11**, 199-202.
- Dijkstra J. M., Fischer U., Sawamoto T., Ototake M., and Nakanishi T., 2001: Exogenous antigens and the stimulation of MHC class I restricted cell-mediated cytotoxicity: Possible strategies for fish vaccines. *Fish Shellfish Immunol.*, **11**, 437-458.
- Falandysz J., Ichihashi H., Szymcyk K., Yamasaki S., and Mizera T., 2001: Metallic elements and metal poisoning among white-tailed sea eagles from the Baltic south coast. *Mar. Poll. Bull.*, **42(11)**, 1190-1193.
- Falandysz J., Szymcyk K., Ichihashi H., Bielawski L., Gucia M., Frankowska A., and Yamasaki S., 2001: ICP/MS and ICP/AES elemental analysis (38 elements of edible wild mushrooms growing in Poland. *Food Additives Contaminants*, **18**, 503-513.
- Fortier M., Fortier L., Hattori H., Saito H., and Legendre L., 2001: Visual predators and the diel vertical migration of copepods under Arctic sea ice during the midnight Sun. *J. Plankton Res.*, **23**, 1263-1278.
- Friendland K. D., Walker R. V., Davis N. D., Myers K. W., Boehlert G. W., Urawa S., and Ueno Y., 2001: Open Ocean orientation and return migration routes of chum salmon based on temperature data from data shortage tags. *Mar. Biol.*, **138**, 1011-1019.
- Fujii K., Urano N., Ushio H., Satomi M., and Kimura S., 2001: *Sphingomonas cloacae* sp. nov., a nonylphenol-degrading bacterium isolated from wastewater of a sewage-treatment plant in Tokyo. *Int. J. Syst. Evol. Microbiol.*, **51**, 603-610.
- Fujiwara A., Nishida-Umehara C., Sakamoto T., Okamoto N., Nakayama I., and Abe S., 2001: Improved

- fish lymphocyte culture for chromosome preparation. *Genetica*, **111**, 77-89.
- Fukuda M., Sako H., Shigeta T., and Shibata R., 2001: Relationship between growth and biochemical indices in laboratory-reared juvenile Japanese flounder (*Paralichthys olivaceus*), and its application to wild fish. *Mar. Biol.*, **138**, 47-55.
- 福田 裕, 2002: 中国淡水魚から冷凍すり身の開発. 食品工業, **45(2)**, 57-67.
- 船津保浩, 川崎賢一, 袁 春紅, 内田基晴, 里見正隆, 福田 裕, 2002: 醤油麹および乳酸菌を用いて調製した中国ハクレン魚醤油と中国市販魚醤油の揮発性成分の比較. 日本食品化学工学会誌, **49**, 106-118.
- Gen K., Okuzawa K., Kumakura N., Yamaguchi S., and Kagawa H., 2001: Correlation between messenger RNA expression of cytochrome P450 aromatase and its enzyme activity during oocyte development in the red seabream (*Pagrus major*). *Biol. Reprod.*, **65**, 1186-1184.
- Guruge K. S., Tanaka H., and Tanabe S., 2001: Concentration and toxic potential of polychlorinated biphenyl congeners in migratory oceanic birds from the North Pacific and the Southern Ocean. *Mar. Environ. Res.*, **52**, 271-288.
- Guruge K. S., Watanabe M., Tanaka H., and Tanabe S., 2001: Accumulation status of persistent organochlorines in albatrosses from the North Pacific and the Southern Ocean. *Environ. Poll.*, **114**, 389-398.
- 箱山 洋, 2001: 絶滅リスク評価. 水環境学会誌, **24**, 279-282.
- Hanamura, Y. and Kase, T., 2001: A new species of Heteromysoides (Mysidacea: Mysidae) from submarine caves of Okinawa, southwestern Japan. *Crust. Res.*, **30**, 65-71.
- 花村幸生, 2001: 沿岸生態系におけるアミ類の役割と研究の意義. 月刊海洋, 号外**27**, 131-140.
- Hara M. and Sekino M., 2001: Genetic and breeding science of abalone and their application to the aquaculture techniques. *Suisanzoshoku*, **49(2)**, 123-126.
- Hashimoto H., Mizuta A., Okada N., Suzuki T., Tagawa M., Tabata K., Yokoyama Y., Sakaguchi M., Tanaka M., and Toyohara H., 2002: Isolation of a Japanese flounder clonal line, reversed, which exhibits reversal of metamorphic left-right asymmetry. *Mech. Dev.*, **111**, 17-24.
- Hayashi A., Kawaguchi K., Watanabe H., and Ishida M., 2001: Daily growth increment formation and its lunar periodicity in otoliths of the myctophid fish *Myctophum asperum* (Pisces: Myctophidae). *Fish. Sci.*, **67**, 811-817.
- Hayashi A. and Watanabe H., 2001: Growth of *Myctophum asperum* (Pisces: Myctophidae) in the Kuroshio and transitional waters. *Fish. Sci.*, **67**, 983-984.
- 広田祐一, 長谷川誠三, 2001: 日本海における動物プランクトン現存量のデータ. 月刊海洋, 号外**27**, 32-38.
- 本多 仁, 梨田一也, 阪地英男, 2001: 土佐湾における底魚類の生態と資源動向. 水産工学, **38**, 93-94.
- 本多 聡, 2001: 漁業者アンケートに基づく北海道太平洋沿岸におけるスケトウダラ0歳魚の分布および移動. 水研センター研報, **2**, 1-14.
- 堀 英夫, 立石晶浩, 山田 久, 2001: 海産動物プランクトンによる有害物質急性毒性試験法の開発. 環境毒性学会誌, **4(2)**, 73-86.
- 堀 英夫, 立石晶浩, 山田 久, 2002: クルマエビ及びアシナガモエビモドキに対する有機スズ化合物、農薬及び6価クロムの急性毒性-脱皮及び水温等の試験条件による変動. 日水誌, **68(1)**, 29-36.
- 堀 英夫, 立石晶浩, 山田 久, 2002: 閉鎖循環式試験水槽を用いた長期飼育試験による有機スズ化合物のクルマエビへの生物濃縮. 日水誌, **68(1)**, 37-45.
- Hu F., Oozeki Y., Tokai T., and Matuda K., 2001: Scale model of a new midwater trawl system for sampling pelagic larval and juvenile fish. *Fish. Sci.*, **67**, 254-259.
- 一井太郎, 2001: 漁業資源としてのナンキョクオキアミに関する世界の動き. 月刊海洋, 号外**27**, 244-251.
- Ichihashi H., Kohno H., Kannan K., Tsumura A., and Yamasaki S., 2001: Multielemental analysis of purpleback flying squid using high resolution inductively coupled plasma mass spectrometry (HR ICP-MS). *Environ. Sci. Technol.*, **35**, 3103-3108.
- Ichihashi H., Nakamura Y., Kannan K., Tsumura A., and Yamasaki S., 2001: Multielemental concentrations

- in tissues of Japanese common squid (*Todarodes pacificus*). *Arch. Environ. Contam. Toxicol.*, **41**, 483-490.
- Ichimi K., Suzuki T., and Yamasaki M., 2001: Non-selective retention of PSP toxins by the mussel *Mytilus galloprovincialis* fed with the toxic dinoflagellate *Alexandrium tamarense*. *Toxicon*, **39**(12), 1917-1921.
- Ichimi K., Yamasaki M., Okumura Y., and Suzuki T., 2001: The growth and cyst formation of a toxic dinoflagellate, *Alexandrium tamarense*, at low. *J. Exp. Mar. Biol. Ecol.*, **261**(1), 17-29.
- 井口恵一朗, 淀 太我, 松原尚人, 2001: 移植されたコクチバスの繁殖特性. *水産増殖*, **49**, 157-160.
- 井口恵一朗, 北野 聡, 松原尚人, 2001: モルフォメトリーによるイワナ・カワマス間の種判別. *水研センター研報*, **1**, 1-5.
- 飯島憲章, 植松一眞, 下川真理子, 石井裕子, 大嶋雄治, 藤井一則, 橋本伸哉, 原 彰彦, 山田 久, 2001: 瀬戸内海周防灘及び広島湾のマコガレイに対するエストロゲン様内分泌攪乱物質の影響実態. *環境毒性学会誌*, **4**(1), 45-53.
- 池田久美子, 南 卓志, 山田 久, 小山次朗, 2002: 日本海底層の食物網における有機スズ化合物の生物濃縮. *環境化学*, **12**(1), 105-114.
- Ikuta K., Munakata A., Aida K., Amano M., and Kitamura S., 2001: Effects of low pH on upstream behavior in land-locked sockeye salmon *Oncorhynchus nerka*. *Water Air Soil Pollution*, **130**, 99-106.
- Imada N., Honjo T., Shibata H., Oshima Y., Nagai K., Matsuyama Y., and Uchida T., 2001: The quantities of *Heterocapsa circularisquama* cells transferred with shellfish consignments and the possibility of its establishment in new areas, Harmful Algal Blooms 2000, Hallegraef, G. M., Blackburn, S. I., Bolch, C. J., Lewis, R. J. (eds), IOC of UNESCO, Paris, pp.474-476.
- 稲掛伝三, 2001 : アーカイバルタグから得られたクロマグロ幼魚の回遊経路と海洋環境. *海洋と生物*, **23**, 547-552.
- Inagawa H., Kuroda A., Nishizawa T., Honda T., Ototake M., Yokomizo Y., Nakanishi T., and Soma G., 2001: Cloning and characterisation of tandem-repeat type galectin in rainbow trout (*Oncorhynchus mykiss*). *Fish Shellfish Immunol.*, **11**, 217-231.
- 井上喜洋, 木下弘実, 2002: ソフト・トロール漁具開発. *水工研技報*, **24**, 15-26.
- 井上喜洋, 本田 勤, 2002: 原釜型底曳選択網の構造について. *水工研技報*, **24**, 27-30.
- 板倉 茂, 2001: 内湾における水質環境の変化と植物プランクトン生態系. *月刊海洋*, **33**(6), 393-398.
- 板倉 茂, 2001: 浮遊珪藻類の消長と休眠期細胞. *日本プランクトン学会誌*, **48**, 101-103.
- Itakura S. and Yamaguchi M., 2001: Germination characteristics of naturally occurring cysts of *Alexandrium tamarense* (Dinophyceae) in Hiroshima Bay, Inland Sea of Japan. *Phycologia*, **40**, 263-267.
- Itakura S., Yamaguchi M., Yoshida M., and Fukuyo, Y., 2002: The seasonal occurrence of *Alexandrium tamarense* (Dinophyceae) vegetative cells in Hiroshima Bay, Japan. *Fish. Sci.*, **68**(1), 77-86.
- Ishida Y., Yano A., Ban M., and Ogura M., 2001: Vertical movement of a chum salmon *Oncorhynchus keta* in the western North Pacific Ocean as determined by a depth-recording archival tag. *Fish. Sci.*, **67**, 1030-1035.
- Ishihara Y., Yamada Y., Ajisaka T., and Yokoyama H., 2001: Distribution of stable carbon isotope ratio in *Sargassum* plants. *Fish. Sci.*, **67**, 367-369.
- 石田行正, 谷野 章, 伴 真俊, 小倉未基, 2001: Vertical movement of a chum salmon *Oncorhynchus keta* in the western North Pacific Ocean as determined by a depth-recording archival tag. *Fish. Sci.*, **67**, 1030-1035.
- Itaya K., Fujimori Y., Shiode D., Aoki I., Yonezawa T., Shimizu S., and Miura T., 2001: Sampling performance and operational quality of a frame trawl used to catch juvenile fish. *Fish. Sci.*, **67**(3), 436-443.
- 伊藤祐子, 林 育夫, 2001: 日本海の浅海岩礁域で優占する植食性巻貝3種の日周行動. *日水誌*, **67**(6), 1089-1096.
- Ivanova E. P., Shevchenko L. S., Sawabe T., Lysenko A. M., Svetashev V. I., Gorshkova N. M., Satomi M., Christen R., and Mikhailov V. V., 2002: *Pseudoalteromonas maricaloris* sp. nov., isolated from an Australian sponge, and reclassification of [*Pseudoalteromonas aurantia*] NCIMB 2033 as *Pseudoalteromonas flavipulchra* sp. nov. *Int. J. Syst. Evol. Microbiol.*, **52**, 263-271.
- Iwasaki T. and Kubo, N., 2001 : Northbound migration of a humpback whale *Megaptera novaeangliae* along the Pacific coast of Japan. *Mammal study*, **26**(1), 77-82.
- 岩崎俊秀, 木白俊哉, 加藤秀弘, 2001: 小型鯨類の管理. *海洋と生物*, **23**(3), 254-263.

- 岩崎俊秀, 2001: 小型鯨類の衛星追跡. 海洋と生物, **23(6)**, 559-564.
- Kagawa H., Ohta H., and Tanaka H., 2001: Recent progress of research on larvae production of Japanese eel, *Anguilla japonica*. *Suisanzoushoku*, **49**, 127-132.
- 梶原直人, 2001: デジタルフォースゲージを用いた新潟県沿岸域における海底泥の硬度測定結果について. 水産工学, **38(2)**, 179-184.
- 角埜 彰, 藤井一則, 小山次朗, 2001: ジャワメダカ(*Oryzias javanicus*)における生殖腺の発達と雌雄判定. 水研センター研報, **1**, 35-37.
- 角埜 彰, 藤井一則, 小山次朗, 2001: ノニルフェノールのマミチヨグ仔稚魚への影響. 環境毒性学会誌, **4(1)**, 55-66.
- 神山孝史, 2001: 沿岸域における繊毛虫プランクトンの生態-出現特性と役割. 月刊海洋, 号外**27**, 54-61.
- Kamiyama T., Takayama H., Nishii Y., and Uchida T., 2001: Grazing impact of the field ciliate assemblage on a bloom of the toxic dinoflagellate *Heterocapsa circularisquama*. *Plankton Biol. Ecol.*, **48**, 10-18.
- Katano O., Aonuma Y., and Matsubara N., 2001: The Use of artificial temporary systems with and without shelters by Japanese dace *Tribolodon hakonensis*. *Fish. Sci.*, **67**, 36-45.
- Katano O. and Aonuma Y., 2001: Negative effect of ayu on the growth of omnivorous pale chub in experimental pools. *J. Fish. Biol.*, **58**, 1371-1382.
- 片野 修, 細谷和海, 井口恵朗, 青沼佳方, 2001: 千曲川流域3タイプの水田間の魚類相の比較. 魚雑, **48**, 19-25.
- 片野 修, 青沼佳方, 2001: コクチバスによって捕食されるウグイの最大体長. 日水誌, **67 (5)**, 866-873.
- 加藤秀弘, 2001: 世紀を越えたシロナガスクジラ. 海洋と生物, **23(2)**, 105.
- 加藤秀弘, 2001: 我が国における鯨類資源研究の方向性. 海洋と生物, **23(3)**, 220-223.
- Katoh M. and Tokimura M., 2001: Genetic and morphological identification of *Sebastes tertius* in the East China Sea (Scorpaeniformes: Scorpaenidae). *Ichthyol. Res.*, **48**, 247-255.
- 加藤充宏, 渡邊千夏子, 2001: マサバとゴマサバの成熟・産卵・食性. 水産海洋研究, **65**, 204-205.
- 川口 創, 2001: ナンキョクオキアミ研究-最近のトピックスから-. 月刊海洋, 号外**27**, 147-155.
- Kawaguchi S., Shiimoto A., Imai K., Tsuruga Y., Yamaguchi H., Noiri Y., Iguchi N., and Kameda T., 2001: A possible explanation for the dominance of chlorophyll in pico and nano-size fractions in the waters around the South Shetland Islands. *Ocean Polar Res.*, **23**, 379-388.
- 川原重幸, 2001: 生態系と鯨類. 海洋と生物, **23(3)**, 250-253.
- 川俣 茂, 2001: 北日本沿岸におけるウニおよびアワビの摂食に及ぼす波浪の影響とその評価. 水研センター研報, **1**, 59-107.
- Kawamura T., Takami H., Roberts R., and Yamashita Y., 2001: Radula development in abalone, *Haliotis discus hannai* from larva to adult in relation to feeding transitions. *Fish. Sci.*, **67(4)**, 596-605.
- Kawamura K., Ueda T., Arai R., Nagata Y., Saitoh K., Ohtaka H., and Kanoh Y., 2001: Genetic introgression by the rose bitterling, *Rhodeus ocellatus ocellatus*, into the Japanese rose bitterling, *R. o. kurumeus* (Teleostei: Cyprinidae). *Zool. Sci.*, **18**, 1027-1039.
- Kawamura K., Nagata Y., Ohtaka H., Kanoh Y., and Kitamura J., 2001: Genetic diversity in the Japanese rosy bitterling, *Rhodeus ocellatus kurumeus* (Teleostei: Cyprinidae). *Ichthyol. Res.*, **48**, 369-378.
- 川西 澄, 水野博史, 内田卓志, 2001: 1.5MHz超音波ドップラー分布計を用いた感潮域における懸濁粒子の動態観測. 海岸工学論文集, **48**, 1096-1100.
- 川西 澄, 水野博史, 高杉由夫, 内田卓志, 2001: 秋季の広島湾北部域における音響散乱と底層濁度の変動特性. 土木学会論文集, **691(II-57)**, 143-151.
- 川西 澄, 水野博史, 松山幸彦, 長井 敏, 小谷祐一, 2002: 広島湾北部域における底層懸濁粒子からの音響散乱特性超音波ドップラー分布計による底層濁度と体積濃度の測定可能性について. 海の研究, **11(2)**, 285-293.
- Kawasaki Y., Yasuda I., Hiroe Y., Komatsu K., Kawasaki K., Joyce T.M., and Bahr F., 2001: Hydrographic structure and transport of the Oyashio south of Hokkaido and the formation of North Pacific Intermediate Water. *J. Geophys. Res.*, **106(C4)**, 6931-6942.
- Kim D., Okamoto T., Oda T., Tachibana K., Lee K. S., Ishimatsu A., Matsuyama Y., Honjo T., and Muramatsu T., 2001: Possible involvement of the glycocalyx in the ichthyotoxicity of *Chattonella*

- marina* (Raphidophyceae): immunological approach using antiserum against cell surface structures of the flagellate. *Mar. Biol.*, **139**, 625-632.
- Kim D., Sato Y., Oda T., Muramatsu T., Matsuyama Y., and Honjo T., 2001: Specific toxic effect of dinoflagellate *Heterocapsa circularisquama* on the rotifer *Brachionus plicatilis*. *Biosci. Biotechnol. Biochem.*, **64**(12), 2719-2722.
- Kim D., Sato Y., Miyazaki Y., Oda T., Muramatsu T., Matsuyama Y., and Honjo T., 2002: Comparison of hemolytic activities among strains of *Heterocapsa circularisquama* isolated in various localities in Japan. *Biosci. Biotechnol. Biochem.*, **64**(2), 453-457.
- 木下政人, 田中 実, 山下倫明, 2001: トランスジェニックフィッシュ系統の作出とプロモーター解析. 蛋白質核酸酵素, **45**, 2954-2961.
- Kishi M. J., Motono H., Kashiwai M., and Tsuda, A., 2001: Ecological-physical coupled model with vertical migration of zooplankton in Northwestern Pacific. *J. Oceanogr.* **57**, 499-508.
- 木白俊哉, 2001: ハクジラ類の年齢査定. 海洋と生物, **23**(4), 377-382.
- Kitagawa T., Yoshioka M., Kashiwagi M., and Okazaki T., 2001: Population structure and local differentiation in the delicata loach, *Niwaella delicata*, as revealed by mitochondrial DNA and morphological analyses. *Ichthyol. Res.*, **48**, 127-135.
- Kitaguchi H., Hiragushi N., Mitsutani A., Yamaguchi M., and Ishida Y., 2001: Isolation of an algicidal marine bacterium with activity against the harmful dinoflagellate *Heterocapsa circularisquama* (Dinophyceae). *Phycologia*, **40**, 275-279.
- Kitamura S. and Ikuta K., 2001: Effects of acidification on salmonid spawning behavior. *Water Air Soil Pollut.*, **130**, 875-880.
- 小林 学, 中山哲巖, 宮地健司, 榎本一徳, 金城哲男, 篠田邦裕, 佐藤勝弘, 2001: リーフ上の防波堤に作用する波圧に関する実験的研究. 海岸工学論文集, **48**, 826-830.
- Kogure Y., 2001: Depth/substrate relationships of echinoderms, off NW Hokkaido Island, Japan Sea. *Proc. 10th International Echinoderms Conf. 2000*, 25-30.
- 小泉喜嗣, 市川 衛, 田村成男, 内田卓志, 2001: 愛知県下波湾で観察された渦鞭毛藻 *Gonyaulax polygramma* Stein の日周鉛直移動. 水産海洋研究, **65**, 131-134.
- Kojima S., Segawa R., Hayashi I., and Okiyama M., 2001: Phylogeography of a deep-sea demersal fish, *Bothrocara hollandi*, in the Japan Sea. *Mar. Ecol. Prog. Ser.*, **217**, 135-143.
- 小松幸生, 増田 章, 2001: 沿岸域における風波成分波間の非線形エネルギー伝達. 水研センター研報, **1**, 7-21.
- 小西光一, 2001: 幼生研究のための小テクニック集 (2) 幼生飼育についてのFAQ. *Cancer*, **10**, 1-7.
- 興石裕一, 大坂幸男, 林 宗徳, 佐野元彦, 村井武四, 2001: 有明海湾奥東部海域におけるデンベシタピラメ 0 歳魚の分布と成長. 水研センター研報, **1**, 23-34.
- Kosuge T. and Davie P. J. F., 2001: Redescription of *Macrophthalmus boteltobagoe* and *M. holthuisi* with notes on their ecology (Brachyura: Ocypodidae). *J. Crustacean Biol.*, **21**, 545-555.
- Kubota M., Kinoshita M., Kubota S., Yamashita M., Toyohara H., and Sakaguchi M., 2001: Possible implication of metalloproteases in post-mortem tenderization of fish muscle. *Fish. Sci.*, **67**, 965-968.
- Kuo J., Shibuno T., Kanamoto Z., and Noro T., 2001: *Halophila ovalis* (R. Br.) Hook. f. from a submarine hot spring in southern Japan. *Aquatic Botany*, **70**, 329-335.
- Kuramochi T., Wakao H., Terasawa F., Hagiwara S., Miyauchi Y., Akamatsu T., Yamada K. T., Koda Y., Sakai T., Inaba N., and Yoshida Y., 2001: Stomach nematodes of the family anisakidae collected from cetaceans stranded on or incidentally caught off the coasts of the Kanto districts and adjoining areas. *Mem. Natn. Sci. Mus.*, **37**, 177-192.
- Kurata K., Minami H., and Kikuchi E., 2001: Stable isotope analysis of food sources for salt marsh snails. *Mar. Ecol. Prog. Series*, **223**, 167-177.
- 黒木洋明, 2001: マアナゴレプトケパルスの沖合・外洋域での分布と接岸回遊. 月刊海洋, **33**, 540-543.
- Kurihara T., Kosuge T., Kobayashi M., Katoh M., and Mito K., 2001: Spatial and temporal fluctuations in

- densities of gastropods and bivalves on subtropical cobbled shores. *Bull. Mar. Sci.*, **68**(3), 409-426.
- Kurihara T., 2002: Spatial and temporal fluctuation in the density of the intertidal limpet, *Patelloida striata* Quoy & Gaimard, on subtropical cobbled shores. *J. Molluscan Studies*, **68**, 83-90.
- 桑原久実, 金田友紀, 清川哲史, 中山哲巖, 2001: ウニの侵入を制御する空気ポケットフェンスの開発. 海岸工学論文集, **48**, 1261-1265.
- 桑原久実, 川井唯史, 金田友紀, 2001: 北海道南西部磯焼け海域におけるホソメコンブ群落の形成機構. 水産工学, **38**(2), 159-165.
- 前野幸男, 伊東尚史, 釜石 隆, 森実庸男, 中島員洋, 2001: 大量死を伴う異常アコヤガイの血球像の変化. 魚病研究, **36**, 225-230.
- 松岡正信, 2001: マイワシ卵のふ化率および摂餌開始期生残率に及ぼす低水温の影響. 日水誌, **67**(5), 894-895.
- 松岡正信, 2001: 天然マダイ仔稚魚の鼻孔隔皮形成過程. 日水誌, **67**(5), 896-897.
- 松岡正信, 小西芳信, 2001: 1979~1995年の九州周辺海域におけるマイワシの産卵量と分布. 水産海洋研究, **65**(2), 67-73.
- Matsuoka M., 2001: Development of sense organs in the Japanese sardine *Sardinops melanostictus*. *Fish. Sci.*, **67**(6), 1036-1045.
- 松岡正信, 小西芳信, 2001: 1979~1995年の九州周辺海域におけるマイワシの産卵量と分布. 水産海洋研究, **65**(2), 67-73.
- 松岡正信, 宮地邦明, 加藤 修, 2002: 薩南海域におけるマイワシとカタクチイワシの産卵水深に関する観察例. 水研センター研報, **2**, 15-23.
- 松村貴晴, 岡本俊治, 黒田伸郎, 浜口昌巳, 2001: 三河湾におけるアサリ浮遊幼生の時空間分布—間接蛍光抗体法を用いた解析の試み—. 日本ベントス学会誌, **56**, 1-8.
- 松浦 勉, 2001: 沖合底びき網漁船におけるトン数階層変動の分析. 地域漁業研究, **41**(2), 1-16.
- Matsuyama Y., Uchida T., Honjo T., and Shumway S. E., 2001: Impacts of the harmful dinoflagellate, *Heterocapsa circularisquama*, on shellfish aquaculture in Japan. *J. Shellfish Res.*, **20**(3), 1269-1272.
- Matsuyama Y., Usuki H., Uchida T., and Kotani Y., 2001: Effects of harmful algae on the early planktonic larvae of the oyster, *Crassostrea gigas*, Harmful Algal Blooms 2000, Hallegraeff G. M., Blackburn S. I., Bolch C. J., Lewis R. J. (eds), IOC of UNESCO, Paris, pp.411-414.
- McFarlane G., Krovnin A., Megley B., and Yatsu A., 2001: BASS/MODEL workshop on higher trophic level modeling. *PICES Sci. Rep.*, **17**: 115-119.
- 目黒清美, 梨田一也, 三谷卓美, 西田 宏, 川端 淳, 2001: マサバとゴマサバの回遊2—成魚. 水産海洋研究, **66**(4): 202.
- 南川真吾, 2001: マイクロデータロガーによるアカウミガメの潜水行動の研究. 海洋と生物, **23**, 553-558.
- 三谷卓美, 上原伸二, 石田 実, 2001: 土佐湾及び周辺海域の浮魚資源. 水産工学, **38**(1), 94-95.
- Mito K., Nishimura A., Yanagimoto T., and Katakura S., 2001: Interannual variability in growth of walleye pollock, *Theragra chalcogramma*, in the central Bering Sea. *Fish. Oceanogr.*, **10**(4), 367-375.
- 宮本政秀, 吉田雄一, 河邊 博, 松山幸彦, 高山晴義, 2002: 1995年に羊角湾に発生した渦鞭毛藻 *Gyrodinium* sp. の赤潮: 発生期の環境特性と養殖魚への影響. 日水誌, **68**(2), 157-163.
- 宮下富夫, 2001: 日本の鯨類目視調査の現状と将来. 海洋と生物, **23**(3), 264-268.
- Morishima K., Nakayama I., and Arai K., 2001: Microsatellite-centromere mapping in the loach, *Misfurus anguilli caudatus*. *Genetica*, **111**, 59-69.
- Moteki M., Arai M., Tsuchiya K., and Okamoto H., 2001: Composition of piscine prey in the diet of large pelagic fish in the eastern tropical Pacific Ocean. *Fish. Sci.*, **67**, 1063-1074.
- Munakata A., Amano M., Ikuta K., Kitamura S., and Aida K., 2001: The involvement of sex steroid hormones in downstream and upstream migratory behaviors on masu salmon. *Biochem. Physiol.*, **129B**, 661-669.
- Munakata A., Amano M., Ikuta K., Kitamura S. and Aida K., 2002: The effects of testosterone on upstream migratory behavior in masu salmon, *Oncorhynchus masou*. *Gen. Comp. Endocrinol.*, **125**, 365-374.

- Murase H., Matsuoka K., Ichii T., and Nishiwaki S., 2002: Relationship between the distribution of euphausiids and baleen whales in the Antarctic (35°E-145°W). *Polar Biol.*, **25**, 135-145.
- Murata Y., Sata N. U., Yokoyama M., Kuwahara R., Kaneniwa M., and Oohara I., 2001: Determination of a novel bitter amino acid, pulcherrimine in the gonad of the green sea urchin *Hemicentrotus errimus*. *Fish. Sci.*, **67**, 341-345.
- Murata M. and Nakazoe J., 2001: Production and use of marine algae in Japan. *Jap.Agr.Res.Quart.*, **35(4)**, 281-290.
- Murata Y., Yokoyama M., Unuma T., Sata N. U., Kuwahara R., and Kaneniwa M., 2002: Seasonal changes of bitterness and pulcherrimine content in gonads of green sea urchin *Hemicentrotus pulcherrimus* at Iwaki in Fukushima Prefecture. *Fish.Sci.*, **68**, 184-189.
- Murata Y., M., 2002: Studies on a novel bitter amino acid, pulcherrimine in the green sea urchin gonads. *Bull. Fish. Res. Agen.* **3**, 31-61.
- Musleh U., Ishizaki S., Okazaki E., and Tanaka M., 2002: Near infrared reflectance spectroscopy for determining end-point temperature of heated fish and shellfish meats. *J. Food Sci. Food Agric.*, **82**: 286-292.
- Nagai K., Matsuyama Y., Uchida T., Akamatsu S., and Honjo T., 2001: Effect of a natural population of the harmful dinoflagellate *Heterocapsa circularisquama* on the survival of the pearl oyster *Pinctada fucata*. *Fish.Sci.*, **66**, 995-997.
- 長井 敏, 2001: 日本プランクトン学会奨励賞を受賞して. 日本プランクトン学会誌, **48(2)**, 135-137.
- 永延幹男, 2001: CCAMLR2000 共同一斉調査の狙いと南極オキアミ資源量の算定. 水産資源管理談話会報, **25**, 3-9.
- Nagao N., Toda T., Takahashi K., Hamasaki K., Kikuchi T., and Taguchi S., 2001: High ash contents in net-plankton samples from coastal shallow water; Possible source of error in dry weight measurement as zooplankton biomass. *J. Oceanogr.*, **57**, 105-107.
- Nagasaki K., Tarutani K., Hamaguchi M., and Yamaguchi M., 2001: Preliminary analysis on a *Heterosigma akashiwo* virus DNA. *Microbes, Environ.*, **16**, 147-154.
- 中神正康, 高津哲也, 中屋光裕, 高橋豊美, 2001: 函館湾におけるマコガレイ仔稚魚の時空間分布. 水産海洋研究, **65(3)**, 85-93.
- 中村孝幸, 高木伸雄, 中山哲巖, 河野 徹, 菊地一郎, 2001: 減衰波理論に基づく斜波中の波浪境界値問題の解析法とその適用性について. 海岸工学論文集, **48**, 781-785.
- 中村智幸, 2001: 聞き取り調査によるイワナ在来個体群の生息分布推定. 砂防学会誌, **53(5)** 3-9.
- 中村義治, 寺澤知彦, 中村幹雄, 三村信男, 2001: 宍道湖ヤマトシジミ個体群の水質浄化機能の評価解析. 海岸工学論文集, **48**, 1236-1240.
- 中村義治, 金綱紀久恵, 磯野良介, 三村信男, 2001: 生活史に沿った二枚貝個体群の生物機能評価法. 海岸工学論文集, **48**, 1231-1235.
- 中村義治, 2002: 水産生物の生息環境の保全・創造のための水産研究の枠組み. 沿岸海洋研究, **39(2)**, 101-106.
- Nakanishi T., Fischer U., Dijkstra J.M., Koellner B., Aoyagi K., Xia C., Okamura K., Hasegawa Y., Somamoto T., Okamoto N., and Ototake M., 2002: Cytotoxic T cell function in fish. *Dev. Com. Immunol.*, **26**, 131-139.
- Nakata K., Koyama S., and Matsukawa, Y., 2001: Interannual variation in spring biomass and gut composition of copepods in the Kuroshio current, 1971-89. *Fish. Oceanogr.*, **10 (4)**, 329-341 .
- 中田 薫, 2001: 動物プランクトンと魚の関係. 月刊海洋, 号外**27**, 238-243.
- 中山哲巖, 榎本一徳, 灘岡和夫, 内山雄介, 中瀬浩太, 島谷 学, 星野高士, 月館真理雄, 2001: 興津湾における広域海藻分布と水理環境に関する現地調査. 海岸工学論文集, **48**, 1161-1165.
- Ning M. A., Hirayama, T., and Ishikawa K., 2001: An investigation into wave induced drift forces and motions of very large floating structures. *Proc. Pract. Design Ships Float. Struct.*, PRADS'2001, 187 -195.
- Nishikawa J. and Tsuda A., 2001: Feeding of pelagic tunicate *Salpa thompsoni* on flagellates and size-fractionated chlorophyll particles. *PBE*, **48**, 133-135.
- 西川哲也, 宮原一隆, 長井 敏, 2002: 播磨灘産有害珪藻 *Coscinodiscus wailesii* Gran の光強度に対する増殖応答.

- 日本プランクトン学会誌, **49(1)**, 1-8.
- Nohara M., Nishida M., Yamaguchi T., Tomiyama M., Zhang P., Yokoyama H., Manthacitra V., and Nishikawa T., 2001: Mitochondrial DNA variation and genetic relationships of *Branchiostoma* species from the Pacific and Atlantic Oceans. *Zool. Sci.*, **18**, 453-454.
- 乃万俊文, 明田定満, 奈倉 昇, 2001: 連続成層下における深層水の湧昇技術. 海洋深層水研究, **2(1)**, 49-55.
- Oda T., Sato Y., Kim D., Muramatsu T., Matsuyama Y., and Honjo T., 2001: Hemolytic activity of *Heterocapsa circularisquama* (Dinophyceae) and its possible involvement in shellfish toxicity. *J. Phycol.*, **37(4)**, 509-516.
- Ohkubo N. and Matsubara T., 2002: Sequential utilization of free amino acids, yolk proteins and lipids in developing eggs and yolk-sac larvae in barfin flounder *Verasper moseri*. *Mar. Biol.*, **140**, 187-196.
- Ohmaki, S., Saeki K., and Kiyozumi M., 2001: Numerical analysis of a sheet pile mooring wharf having several tie rods. *Proc. Int. Symp. Earth Reinforcement*, **1**, 425-428.
- Ohmaki S., Nishizaki T., Nagashima M., and Sakurai S., 2001: Bearing capacity and deformation characteristics of a skirted foundation on soft cohesive ground. *Proc. 3rd Int. Conf. Soft Soil Engineer.*, **1**, 231-236.
- Ohta H., 2001: Effects of bicarbonate ions and pH on acquisition and maintenance of potential for motility in ayu spermatozoa. *Aquaculture Res.*, **32**, 385-392.
- Ohta H., Kagawa H., Tanaka H., and Unuma T., 2001: Control by the environmental concentration of ions of the potential for motility in Japanese eel spermatozoa. *Aquaculture*, **198**, 339-351.
- Ohta H., Kawamura K., Unuma T., and Takegoshi Y., 2001: Cryopreservation of the spermatozoa of the Japanese bitterling *Tanakia limbata* (Cyprinidae). *J. Fish Biol.*, **58**, 670-681.
- 岡本 誠, 井田 齊, 杉崎宏哉, 2001: 北西太平洋より得られたドクウロコイボダイ科2種の仔稚魚. 魚雑, **48**, 113-119.
- Okamoto M., Ida H., Sugisaki H., and Kurita Y., 2002: Larval and juvenile development of the medusafish, *Leichtys lockingtoni* (Perciformes: Centrolophidae), from the northwest Pacific, and a comparison with northeast Pacific larval and juvenile forms. *Ichthyol. Res.*, **49**, 93-96.
- Okamura H., Kiyota M., and Hiramatsu K., 2001: Quantitative analysis of paired comparison data using the Bradley-Terry model with a normal distribution. *Jap. J. Biometrics*, **21(2)**, 1-14.
- Okamura H., Matsuoka K., Hakamada T., Okazaki M., and Miyashita T., 2001: Spatial and temporal structure of the western North Pacific minke whale distribution inferred from JARPN sightings data. *J. Cetacean Res. Manag.*, **3(2)**, 193-200.
- 岡村雄吾, 秋山秀樹, 斉藤 勉, 2001: 土佐湾における流動環境特性. 水産工学, **38(1)**, 93.
- Okuda K., Yasuda I., Hiroe Y., and Shimizu Y., 2001: Structure of subsurface intrusion of the Oyashio water into the Kuroshio extension and formation process of the northern Pacific intermediate water. *J. Oceanogr.*, **57**, 121-140.
- Okumura Y., Koyama J., Takaku H., and Satoh H., 2001: Influence of organic solvents on the growth of marine microalgae. *Arch. Environ. Contami. Toxicol.*, **41(2)**, 123-128.
- 大泉 宏, 渡辺 光, 李 雅利, 川原重幸, 2001: 西部北太平洋に生息するハダカイワシ科魚類の耳石による種同定. 海洋と生物, **23(6)**, 626-637.
- 大森義暢, 八木 宏, 足立久美子, 二平 章, 2001: 鹿島灘沿岸域における栄養塩およびクロロフィル a 量の時空間変動. 海岸工学論文集, **48**, 1271-1275.
- Ohshima K. I., Mizuta G., Itoh M., Fukamachi Y., Watanabe T., Nabae Y., Suehiro K., and Wakatsuchi M., 2001: Winter oceanographic conditions in the southwestern part of the Okhotsk Sea and their relation to sea ice. 日本海洋学会誌, **57(4)**, 451-460.
- Okamoto H. M., Nakayama I., Nagoya, H., and Araki K., 2001: Predicted protein structure of medaka FoxA3 and its expression in polster. *Zool. Sci.*, **18**, 823-832.
- Oku H., Ogata H., and Liang X. F., 2002: Organization of the lipoprotein lipase gene of red sea bream *Pagrus major*. *Comp. Biochem. Physiol.*, **131B**, 775-785.

- 大関芳沖, 木村 量, 久保田 洋, 石田 実, 2001: サンマ仔稚魚採集用の改良型ニューストンネット. 水産海洋研究, **65**, 1-5.
- Ototake M., 2001: Vaccinations of ayu *Plecoglossus altivelis* against coldwater disease and bacterial hemorrhagic ascites. *Fish Pathol.*, **36**, 110.
- Patino R., Yoshizaki G., Thomas P., and Kagawa H., 2001: Gonadotropic control of ovarian follicle maturation: the two-stage concept and its mechanisms. *Comp. Biochem. Physiol.*, **129B**, 427-439.
- Pinkaew K., Ohtsuka S., Putchakarn S., Chalermwat K., Hanamura Y., and Fukuoka K., 2001: Preliminary survey of mysid fauna in the Gulf of Thailand. *Proc. 11th JSPS. Sem. Mar. Sci.*, 256-273.
- Punt A. E., Butterworth, D. S., and Wada, S., 2001: On the use of allele frequency data within a Bayesian framework to evaluate the relative probabilities of alternative stock structure hypotheses for the North Pacific minke whales. *J. Cetacean Res. Manage.*, **2(2)**, 151-158 .
- Qin Q., Ototake M., Noguchi K., Soma G., Yokomizo Y., and Nakanishi T., 2001: Tumor necrosis factor alpha (TNF alpha)-like factor produced by macrophages in rainbow trout, *Oncorhynchus mykiss*. *Fish Shellfish Immunol.*, **11**, 245-256.
- Rahman M.H., Kuroda A., Dijkstra J. M., Nakanishi T., and Ototake M., 2002: The outer membrane fraction of *Flavobacterium psychrophilum* induces protective immunity in rainbow trout and ayu. *Fish Shellfish Immunol.*, **12(2)**, 169-179.
- 崔 漸珍, 金 大安, 金 東守, 2002: 韓国におけるイカ釣り漁業の現状と今後の展望. 水工研技法, **24**, 1-14.
- Saito H. and Kiorboel T., 2001: Factors influencing feeding rates of *Sagitta elegans*: prey size, swimming behavior and small scale turbulence. *J. Plankton Res.*, **23**, 1385-1398.
- Saito T., Kamimoto M., Miyake A., Yamaha E., Suzuki T., Nakatsuji N., and Nakatsuji T., 2001: Mesoderm formation by isolated and cultivated 8-cell stage blastomeres of the teleost, *Leucoposarion ptersii* (shiro-uo). *Int. J. Dev. Biol.*, **45**, 661-668.
- 坂西芳彦, 宇田川 徹, 飯泉 仁, 山本正昭, 鈴木健吾, 2001: ナガコンブの光合成及び生産力と関連した水中の光環境について. 藻類, **49**, 117-123.
- Sakaji H., 2001: Maturation and spawning of the small penaeid shrimp *Metapenaeopsis dalei* in Tosa Bay, Pacific coast of southern Japan. *Fish. Sci.*, **67(3)**, 444-448.
- Sakaji H., 2001: Observation of the oocytes of the small penaeid shrimps *Metapenaeopsis aegyptia*, *M. barbata*, and *M. sinica*. *Benthos Res.*, **56(2)**, 81-85.
- Sano M., Minagawa M., Sugiyama A., and Nakajima K., 2001: Susceptibility of fish cultured in subtropical area of Japan to red sea bream iridovirus. *Fish Pathol.*, **36**, 38-39.
- Sano M., Iwakawa H., Suemitsu M., Minagawa M., Rasoariniro J., and Rzafindradoany L., 2002: Brown nodules formed in the appendages of *Penaeus monodon* postlarvae cultured in a hatchery in Madagascar. *Bull. Fish. Res. Agen.*, **3**, 1-6.
- Sata N. U., Kuwahara R., and Murata Y., 2002: Synthesis of all isomers of pulcherrimine, a bitter principle in the sea urchin ovary. *Tetrahedron Letters*, **43**, 115-118.
- Sata N. U., Kaneniwa M., Masuda Y., Ando Y., and Iida H., 2002: Fatty acid composition of two species of Japanese freshwater sponges *Heterorotula multidentata* and *Spongilla alba*. *Fish. Sci.*, **68**, 236-238.
- Sato Y., Oda T., Muramatsu T., Matsuyama Y., and Honjo T., 2002: Photosensitizing hemolytic toxin in *Heterocapsa circularisquama*, a newly identified harmful red tide dinoflagellate. *Aquatic Toxicol.*, **56(3)**, 191-196.
- Sekino M. and Hara M., 2001: Inheritance characteristics of microsatellite DNA loci in experimental families of Japanese flounder, *Paralichthys olivaceus*. *Mar. Biol.*, **3**, 310-315.
- Sekino M. and Hara M., 2001: Microsatellite DNA loci in Pacific abalone *Haliotis discus discus* (Mollusca, Gastropoda, Haliotidae). *Mol. Ecol. Notes*, **1**, 8-10.
- 勢村 均, 石田健二, 中上 光, 林 育夫, 2001: 島根県隠岐島島前湾における垂下養殖イワガキの成長. *Venus*, **60(1-2)**, 93-102.

- Shigeno S., Kidokoro H., Tuchiya K., Segawa S., and Yamamoto M., 2001: Development of the brain in the Oegopsid squid *Todarodes pacificus*: an atlas up to the hatching stage. *Zool. Sci.*, **18**, 537-542.
- Shigeno S., Kidokoro H., Goto T., Tuchiya K., and Segawa S., 2001: Early ontogeny of the Japanese common squid *Todarodes pacificus* (Cephalopoda, Ommastrephidae) with special reference to its characteristics morphology and ecological significance. *Zool. Sci.*, **18**, 1011-1026.
- Shigeno S., Kidokoro H., Tuchiya K., Segawa S., and Yamamoto M., 2001: Development of the brain in the Oegopsid squid *Todarodes pacificus*: an atlas from hatching to juvenile. *Zool. Sci.*, **8**, 1081-1096.
- Shima T., Yamamoto T., Furuita H., and Suzuki N., 2001: A comparative study of self-feeders and automatic feeders on the growth performance of rainbow trout fry. *Aquacult. Res.*, **32**, suppl.1, 142-146.
- 島田裕之, 2001: 鯨類における音響調査技術の現状と展望. *海洋と生物*, **24**, 63-66.
- 島谷 学, 中瀬浩太, 中山哲巖, 太田雅隆, 月館真理雄, 星野高士, 内山雄介, 灘岡和夫, 2001: 人工リーフ設置による外力場の変化とアマモ分布条件との関係について. *海岸工学論文集*, **48**, 1156-1160.
- Shimizu Y., Ichiro Y., and Ito S., 2001: Distribution and circulation of the coastal Oyashio intrusion. *J. Phys. Oceanogr.*, **31**, 1561-1578.
- Shinada A., Ikeda T., Ban S., and Tsuda A., 2001: Seasonal dynamics of planktonic food chains in the Oyashio region, western subarctic Pacific. *J. Plankton Res.*, **23**(11), 1237-1247.
- Smith P. J., Griggs L., and Chow S., 2001: DNA identification of Pacific bluefin tuna (*Thunnus orientalis*) in the New Zealand fishery. *New Zealand J. Mar. Freshwater Res.*, **35**, 843-850.
- Sudo H. and Azeta M., 2001: The microhabitat and size of bammarid species selectively predated by young red sea bream *Pagrus major*. *Fish. Sci.*, **67**(3), 389-400.
- Sugisaki H., Bailey K. M., and Brodeur R. D., 2001: Development of the escape response in larval walleye pollock (*Theragra chalcogramma*). *Mar. Biol.*, **139**(1), 19-24.
- Suzuki J., 2001: MHLC-evaluation and comment. *Pelagic Fish. Res. Program*, **6**(2), 10-12.
- Suzuki N., Suzuki T., and Kurokawa T., 2001: Cloning of a calcitonin-related peptide from genomic DNA and its mRNA expression in flounder, *Paralichthys olivaceus*. *Peptides*, **22**, 1435-1438.
- Suzuki T., Mackenzie L., Stirling D., and Adamson J., 2001: Conversion of pectenotoxin-2 to pectenotoxin-2 seco acid in the New Zealand scallop, *Pecten novaezelandize*. *Fish. Sci.*, **67**(3), 506-510.
- Suzuki T. and Mitsuya T., 2001: Comparison of dinophysistoxin-1 and esterified dinophysistoxin-1 (dinophysistoxin-3) contents in the scallop *Patinopecten yessoensis* and the mussel *Mytilus galloprovincialis*. *Toxicon*, **39**(6), 905-908.
- Suzuki T., Mackenzie L., Stirling D., and Adamson J., 2001: Pectenotoxin-2 seco acid: a toxin converted from pectenotoxin-2 by the New Zealand Greenshell mussel, *Perna canaliculus*. *Toxicon*, **39**(4), 507-514.
- Suzuki T., Srivastava A.S., and Kurokawa T., 2001: cDNA cloning and phylogenetic analysis of pancreatic serine proteases from Japanese flounder *Paralichthys Olivaceus*. *Comp. Biochem. Physiol.*, **131B**, 63-70.
- Suzuki T., Kurokawa T., and Srivastava A. S., 2001: Induction of bent cartilaginous skeletons and undulating notochord in flounder embryos by disulfiram and α , α' -dipyridyl. *Zool. Sci.*, **18**, 559-565.
- 多田 稔, 2001: 日本における水産物の需要動向と内外価格の連動性. *漁業経済研究*, **46**, 53-76.
- Tada M., Uozumi Y., and Ota S., 2002: Analysis of factors determining decreasing trend of bigeye tuna resource in the Indian Ocean. OECD workshop at the OECD Fisheries Committee, 1-13 .
- 田口晴邦, 石田茂資, 渡辺 巖, 沢田博史, 辻本 勝, 山越康行, 馬 寧, 2001: 漁船「第五龍寶丸」転覆事故要因に関する検討. *日本造船学会論文集*, **190**, 217-225.
- Takada Y., 2001: Activity patterns of the herbivorous gastropod *Monodonta labio* on a boulder shore at Amakusa, Japan. *Venus*, **60**, 15-25.
- Takada Y., 2001: Comparison of the activity patterns of nine molluscan grazers on a boulder shore at Amakusa, Japan. *Venus*, **60**, 157-172.
- Takagi M., Okamura T., Chow S., and Taniguchi N., 2001: Preliminary study of albacore (*Thunnus alalunga*) stock differentiation inferred from microsatellite DNA analysis. *Fish. Bull.*, **99**(4), 697-701.

- 高木伸雄, 佐伯公康, 2001: 漁港における就労環境の調査・評価手法に関する考察. 水研センター研報, **1**, 39-57.
- 高木儀昌, 蓮尾泰三, 花井正次, 木村光一, 2001: 高層魚礁の開発と実用化. 水産工学, **38(2)**, 139-144.
- 高木儀昌, 森口朗彦, 伊藤 靖, 石岡 昇, 新井健次, 2002: 山口県における高層魚礁の調査結果. 水工研技法, **24**, 31-41.
- Takahashi K. and Kawaguchi K., 2001: Nocturnal occurrence of the swimming crab, *Ovalipes punctatus* in the swash-zone of a sandy beach, northeastern Japan. *Fish. Bull.* **99**, 510-515.
- 高橋紀夫, 2001: 個体群管理の発想を普及させよう. 個体群生態学会報, **58**, 15-16.
- Takayanagi K., 2001: Acute toxicity of waterborne Se(IV), Se(VI), Sb(III), and Sb(V) on red seabream (*Pargus major*). *Bull. Environ. Contam. Toxicol.*, **66**, 808-813.
- 高柳和史, 坂見知子, 2002: 沿岸海域の重金属汚染モニタリングに向けた指標生物候補としての二枚貝の特性—総説— 水研センター研報, **2**, 35-46.
- Takeyama H., Chow S., Tuzuki H., and Matsunaga T., 2001: Mitochondrial DNA sequence variation within and between *Thunnus* tuna species and its application to species identification. *J. Fish Biol.*, **58(6)**, 1646-1657.
- 瀧 憲司, 2002: ツノナシオキアミ漁業の変遷及び漁況の特徴について. 水研センター研報, **3**, 7-26.
- 玉置 仁, 寺脇利信, 2001: アマモの天然群落と移植群落における季節消長の比. 藻類, **49**, 195-197.
- 玉置泰司, 2002: 我が国沿海市町村の類型化による活性化方策の検討. 漁業経済研究, **46(2)**, 1-22.
- 玉置泰司, 2002: 観光底びき網の実施状況について. 月刊漁業経営, **40(2)**, 13-15.
- Tanabe T., 2001: Feeding habits of skipjack tuna *Katsuwonus pelamis* and other tuna *Thunnus* spp. juveniles in the tropical western Pacific. *Fish. Sci.*, **67(4)**, 563-570.
- 田邊智雄, 2001: 西部北太平洋熱帯域におけるカツオの初期生態に関する研究. 水研センター研報, **3**, 63-132.
- Tanaka H., Kagawa H., and Ohta H., 2001: Production of leptocephali of Japanese eel (*Anguilla japonica*) in captivity. *Aquaculture*, **201**, 51-60.
- 田中博之, 2001: バイオテレメトリーによるアカイカの行動追跡. 海洋と生物, **23(6)**, 533-539.
- 寺崎 誠, 浜口昌巳, 薄 浩則, 石岡宏子, 2001: 画像解析システムを用いた二枚貝幼生の自動識別法の試み. 日仏海洋学会誌, **39(2)**, 87-93.
- 寺脇利信, 新井章吾, 2001: 藻場の景観模式図 7. 千葉県館山市坂田地先. 藻類, **49**, 131-135.
- 寺脇利信, 新井章吾, 2001: 藻場の景観模式図 8. 広島湾奥部の大野瀬戸・亀瀬. 藻類, **49**, 199-201.
- 寺脇利信, 2002: お掃除フリーの海藻栽培水槽の試み 2. ヒジキの生育. 海苔と海藻, **62**, 34-39.
- 友定 彰, 2001: 動物プランクトン研究への期待. 月刊海洋, 号外**27**, 226-237.
- 豊川雅哉, 2001: クラゲ類・クシクラゲ類の生物量と食物網. 月刊海洋, 号外**27**, 166-172.
- Tsuda A., Saito H., and Kasai H., 2001: Geographical variation of body size of *Neocalanus cristatus*, *N. plumchrus* and *N. flemingeri* in the subarctic Pacific and its marginal seas: Implication of the origin of large form *N. flemingeri* in Oyashio area. *J. Oceanogr.* **57(3)**, 341-352.
- 澤田浩一, 2002: 魚のターゲットストレングスの高精度推定に関する研究. 水研センター研報, **2**, 47-122.
- 辻野 睦, Decamp O., 有馬郷司, 小谷祐一, 神山孝史, 内田卓志, 2001: 有毒渦鞭毛藻 *Alexandrium* 属増殖期の広島湾における本属シストの分布とベントス群集および底質環境の変化との関係. 日水誌, **67(5)**, 850-857.
- Uchida D., Yamashita M., Kitano T., and Iguchi T., 2002: Oocyte apoptosis during the transition from ovary-like tissue to testis during sex differentiation of juvenile zebrafish. *J. Exp. Biol.*, **205**, 711-718.
- 内田卓志, 本城凡夫, 松山幸彦, 2001: 三重県五ヶ所湾における *Gymnodinium mikimotoi* の消長と物理・化学的要因及び生物学的要因との関係について. 日本プランクトン学会誌, **48**, 104-110.
- Uchida T., 2002: The role of cell contact in the life cycle of some dinoflagellate species. *J. Plankton Res.*, **23**, 889-891.
- Uchikawa K., Yamamura O., and Sakurai Y., 2001: Feeding habits of the mesopelagic fish *Gonostoma gracile* in the northwestern North Pacific. *J. Oceanogr.* **57**, 509-517.
- Udagawa M. and Murai, T., 2001: Content of phylloquinone and menaquinone in the tissues of mummichog *Fundulus heteroclitus* fed diets containing different forms of vitamin K. *J. Nutri. Sci. Vitaminol.*, **47**, 91-95.

- 上野大介, 高橋 真, 田辺信介, 池田久美子, 小山次朗, 山田 久, 2001: 季節, サイズおよび生息深度によるムラサキイガイ中有機塩素化合物蓄積濃度の変動. 日水誌, **67(5)**, 887-893.
- Unuma T., Okamoto H., Konishi K., Ohta H., and Mori K., 2001: Cloning of cDNA encoding vitellogenin and its expression in red sea urchin, *Pseudocentrotus depressus*. *Zool. Sci.*, **18**, 559-565.
- Venkateswaran K., Satomi M., Chung S., Kern R., Koukol R., Basic C., and White D., 2001: Molecular microbial diversity of a spacecraft assembly facility. *Syst. Appl. Microbiol.*, **24**, 311-320.
- Visser A. W., Saito H., Saiz E., and Kiorboe T., 2001: Observations of copepod feeding and vertical distribution under natural turbulent conditions in the North Sea. *Mar. Biol.*, **138**, 1011-1019.
- 渡部俊広, 廣瀬太郎, 2001: 曳航式深海用ビデオカメラによるズワイガニの生息密度の推定. 日水誌, **67**, 640-646.
- Watababe T., Hirai M., and Yamada H., 2001: High-salinity intermediate water of the Japan Sea in the eastern Japan Basin. *J. Geophys. Res.*, **106(C6)**, 11437-11450.
- Watanabe T., 2002: Method to estimate the population of the snow crab *Chionoecetes opolio* using a deep-sea video monitoring system on a towed sled. *Jap. Agri. Res. Quart.*, **36(1)**, 51-57.
- Walker C. W., Unuma T., McGinn N. A., Harrington L. M., and Lesser M. P., 2001: Reproduction of sea urchins, Edible Sea Urchins Biology and Ecology (J. M. Lawrence ed.), pp.5-26.
- 渡邊千夏子, 小林憲一, 川端 淳, 梨田一也, 2002: マサバとゴマサバの年齢と成長. 水産海洋研究, **66(4)**, 202-204.
- Yabu T., Kishi S., Okazaki T., and Yamashita M., 2001: Characterization of zebrafish caspase-3 and induction of apoptosis through ceramide generation in fish FHM cells and zebrafish embryos. *Biochem. J.*, **360**, 39-47.
- Yabu T., Todoriki S., and Yamashita M., 2001: Stress-induced apoptosis by heat shock, UV and γ -ray irradiation in zebrafish embryos detected by increased caspase activity and whole-mount TUNEL staining. *Fish. Sci.*, **67**, 333-340.
- Yada T. and Azuma T., 2002: Hypophysectomy depresses immune functions of the rainbow trout. *Comp. Physiol. Biochem.*, **131C**, 93-100.
- 山田陽巳, 2001: アーカイバルタグによるクロマグロ幼魚の行動生態の解明. 海洋と生物, **23(6)**, 540-546.
- Yamaguchi M., Itakura S., and Uchida T., 2001: Nutrition and growth kinetics in nitrogen- or phosphorus-limited cultures of the "novel red tide" dinoflagellate *Heterocapsa circularisquama* (Dinophyceae). *Phycologia*, **40**, 313-318.
- 山本 潤, 明井崇子, Bower J. R., 後藤常夫, 中村好和, 増田紳哉, 桜井泰憲, 2001: スルメイカ幼生調査用ネットの網目による受精卵・ふ化幼生の保持状態の検討. 日水誌, **67(3)**, 497-499.
- Yamamoto T., Mochioka N., and Nakazono A., 2001: Riverine movements, growth, and biomass of *Anguilla marmorata* in a northern distribution area, Yakushima Island, Japan. *Proc. Int. Symp. Adv. Eel Biol.*, **1**, 134-136.
- Yamamoto, T., Shima T., Furuita H., Suzuki N., Sanchez-Vazquez F. J., and Tabata, M., 2001: Self-selection and feed consumption of diets with a complete amino acid composition and a composition deficient in either methionine or lysine by rainbow trout *Oncorhynchus mykiss* (Walbaum). *Aqua. Res.*, **32, Suppl.1**, 83-91.
- Yamamoto T., Konishi K., Shima T., Furuita H., Suzuki N., and Tabata M., 2001: Influence of dietary fat and carbohydrate levels on growth and body composition of rainbow trout *Oncorhynchus mykiss* under self-feeders condition. *Fish. Sci.*, **67**, 221-227.
- Yamamoto T., Shima T., Furuita H., Shiraishi M., Sanchez-Vazquez F. J., and Tabata M., 2001: Influence of decreasing water temperature and shortening of the light phase on macronutrient self-selection by rainbow trout (*Oncorhynchus mykiss*) and common carp (*Cyprinus carpio*). *Fish. Sci.*, **67**, 420-429.
- Yamamura O., Yabuki K., Shida O., Watanabe K., and Honda S., 2001: Spring cannibalism on 1-year walleye pollock in the Doto area, northern Japan: is it density dependent?. *J. Fish Biol.*, **59**, 645-646.
- 山下俊彦, 高橋和寛, 赤池章一, 桑原久実, 2001: 転石帯を含む岩礁域での波浪・水温の経年変化に伴う海藻分布変動. 海岸工学論文集, **48**, 1166-1170.
- Yamashita Y., Tanaka M., and Miller J. M., 2001: Ecophysiology of juvenile flatfish in nursery ground. *J. Sea Res.*, **45(3-4)**, 205-218.

- Yamashita Y., Okumura T., and Yamada H., 2001: Intersexuality in *Acanthomysis mitsukurii* (Mysidacea) in Sendai Bay, northeastern Japan. *Plankton Biol. Ecol.*, **48**(2), 128-132.
- Yokota K., Fujimori Y., Shiode D., and Tokai T., 2001: Effect of thin twine on gillnet size-selectivity analyzed with the direct estimation method. *Fish. Sci.*, **67**(5), 851-856.
- Yoshida G., Yoshikawa K., and Terawaki T., 2001: Artificial seedlings of *Sargassum macrocarpum* developed from adventive embryos. *Fish. Sci.*, **67**, 352-354.
- Yoshida G., Yoshikawa K., and Terawaki T., 2001: Growth and maturation of two populations of *S. horneri* (Fucales, Phaeophyta) in Hiroshima Bay, the Seto Inland Sea. *Fish. Sci.*, **67**, 1023-1029.
- 吉田吾郎, 吉川浩二, 内村真之, 寺脇利信, 2001: 一年生ホンダワラ類アカモク冷蔵種苗の成長と成熟. 藻類, 49, 177-184.
- 吉村 拓, 2001: イセエビ *Panulirus japonicus* の水産生物学的研究. 月刊海洋, 号外**26**, 230-234.
- Yoshinaga T., Tsutsumi N., Shima T., Kamaishi T., and Ogawa K., 2001: Experimental infection of southern flounder *Paralichthys lethostigma* with *Neoheterobothrium hirame* (monogenea: Diclidophoridae). *Fish Path.*, **36**, 237-239.
- Yoshinari H., Yasuda I., Ito S., Firing E., Matsuo Y., Katoh O., and Shimizu Y., 2001: Meridional transport of the north Pacific intermediate water in the Kuroshio-Oyashio interfrontal zone. *Geophys. Res. Letters*, **28**, 3445-3448.
- 谷津明彦, 三谷卓美, 渡邊千夏子, 2001: マサバ太平洋系群の資源評価とABC. 水産海洋研究, **65**: 207-208.
- Yatsu A., Nishida H., Ishida, M., Tomosada A., and Wada T., 2001: Trajectories of catch and stock abundance of dominant small pelagic fishes and common squid with some related environmental indices around Japan. *PICES Sci. Rep.*, **18**, 175-178.
- Yatsu A., 2002: Small pelagics in the northwestern Pacific Ocean. *GLOBEC Spec. Contr.*, **5**, 39-42.
- Yatsu A., 2001: Ecosystem modeling, monitoring, and Japanese studies relevant to the Western Subarctic Gyre and Kuroshio-Oyashio Transition. *PICES Sci. Rep.*, **17**, 21-24.
- 横山 寿, 坂見知子, 2002: 五ヶ所湾魚類養殖場における環境基準としての酸素消費速度の検討. 日水誌, **68**, 15-23.
- Yoshinaga T., Kamaishi T., Ikeda H., and Sorimachi M., 2001: Experimental Recovery from anemia in Japanese flounder challenged with the monogenean *Neoheterobothrium hirame*. *Fish Path.*, **36**, 221-227.
- 銭谷 弘, 2001: カタクチイワシの資源増加の経過と特徴. 日水誌, **67**, 1125-1126.
- Zenitani H., Tsujino K., Saiura K., and Kato T., 2001: Interannual fluctuations in recruitment and egg production of Japanese sardine in the Seto Inland Sea. 水産海洋研究, **65**, 145-153.
- 銭谷亮子, 加藤秀弘, 2001: 耳垢栓を用いたヒゲクジラ類の年齢査定技術南半球産ミンククジラを例として. 海洋と生物, **23**(4), 383-388.
- Zhang Q., Nakayama I., Fujiwara A., Kobayashi T., Oohara I., Masaoka T., Kitamura S., and Devlin R. H., 2001: Sex identification by male-specific growth hormone pseudogene (GH-Ψ) in *Oncorhynchus masou* complex and a related hybrid. *Genetica*, **111**, 111-118.
- Zou J., Wang T., Hirono I., Aoki T., Inagawa H., Honda T., Soma G., Ototake M., Nakanishi T., and Secombes C. J., 2002: Differential expression of two tumor necrosis factor genes in rainbow trout, *Oncorhynchus mykiss*. *Dev. Com. Immunol.*, **26**, 161-172.